

9. REFERENCES

- *Adinolfi M. 1985. The development of the human blood-CSF-brain barrier. *Dev Med Child Neurol* 27:532-537.
- *Adlercreutz H. 1995. Phytoestrogens: Epidemiology and a possible role in cancer protection. *Environ Health Perspect Suppl* 103(7):103-112.
- Agency for Toxic Substances and Disease Registry. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles; Notice. *Federal Register* 54(174):37618-37634.
- Agency for Toxic Substances and Disease Registry. 1990. Biomarkers of organ damage or dysfunction for the renal, hepatobiliary, and immune systems. Subcommittee on Biomarkers of Organ Damage and Dysfunction, Atlanta, GA.
- *Agency for Toxic Substances and Disease Registry. 1994. Toxicological profile for chlorodibenzofurans. U.S. Department of Health and Human Services. Atlanta, GA.
- *Agency for Toxic Substances and Disease Registry. 1998. Toxicological profile for chlorinated dibenzo-p-dioxins. U.S. Department of Health and Human Services. Atlanta, GA.
- *Agency for Toxic Substances and Disease Registry. 2000. Toxicological profile for Polychlorinated biphenyls. U.S. Department of Health and Human Services. Atlanta, GA.
- *Ahmadizadeh M, Kuo C-H, Echt R, et al. 1984. Effect of polybrominated biphenyls, B-naphthoflavone and phenobarbital on arylhydrocarbon hydrolase activities and chloroform-induced nephrotoxicity and hepatotoxicity in male C57BL/6J and DBA/2J mice. *Toxicology* 31:343-352.
- *Akoso BT, Sleight SD, Aust SD, et al. 1982a. Pathologic effects of purified polybrominated biphenyl congeners in rats. *J Am Coll Toxicol* 1:1-21.
- *Akoso BT, Sleight SD, Nachreiner RF, et al. 1982b. Effects of purified polybrominated biphenyl congeners on the thyroid and pituitary glands in rats. *J Am Coll Toxicol* 1:23-36.
- *Akutsu K, Obana H, Okihashi M, et al. 2001. GC/MS analysis of polybrominated diphenyl in fish collected from the inland sea of Seto, Japan. *Chemosphere* 44:1325-1333.
- Alaee M. 2001. Levels and trends of PBDEs in North American environment. *BFR*:131-134.
- *Alaee M, Sergeant DB, Ikonomou MG, et al. 2001. A gas chromatography/high-resolution mass spectrometry (GC/HRMS) method for determination of polybrominated diphenyl ethers in fish. *Chemosphere* 44(6):1489-1495.
- *Alaee M, Sergeant DB, Muir DCG, et al. 1999. Distribution of polybrominated diphenyl ethers in the Canadian environment. *Organohalogen Compounds* 40:347-350.

*Cited in text

9. REFERENCES

- Alcock RE, Jones KC. 1999. New directions "new" organic compounds in the environment. *Atmos Environ* 33(10):1645-1646.
- *Allchin CR, Law RJ, Morris S. 1999. Polybrominated diphenylethers in sediments and biota downstream of potential sources in the UK. *Environ Pollut* 105:197-207.
- *Allchin CR, Morris S, Law RJ, et al. 2000. Polybrominated diphenyl ether residues in cormorant (*Phalacrocorax L.*) livers from England, UK. *Organohalogen Compounds* 47:190-193.
- *Allen JR, Barsotti DA, Lambrecht LK, et al. 1979. Reproductive effects of halogenated aromatic hydrocarbons on nonhuman primates. *Ann N Y Acad Sci* 320:419-424.
- *Allen JR, Lambrecht LK, Barsotti DA. 1978. Effects of polybrominated biphenyls in nonhuman primates. *J Am Vet Med Assoc* 173:1485-1489.
- *Allen-Rowlands CF, Castracane VD, Hamilton MG, et al. 1981. Effect of polybrominated biphenyls (PBB) on the pituitary - thyroid axis of the rat. *Proc Soc Exp Biol Med* 166:506-514.
- *Altman PL, Dittmer DS. 1974. In: *Biological handbooks: Biology data book*. Vol. III. 2nd ed. Bethesda, MD: Federation of American Societies for Experimental Biology, 1987-2008, 2041.
- *Andersen ME, Krishnan K. 1994. Relating in vitro to in vivo exposures with physiologically based tissue dosimetry and tissue response models. In: Salem H, ed. *Animal test alternatives: Refinement, reduction, replacement*. New York: Marcel Dekker, Inc., 9-25.
- *Andersen ME, Clewell HJ III, Gargas ML, et al. 1987. Physiologically based pharmacokinetics and the risk assessment process for methylene chloride. *Toxicol Appl Pharmacol* 87:185-205.
- Anderson BE, Zeigler E, Shelby MD, et al. 1990. Chromosome aberration and sister chromatid exchange test results with 42 chemicals. *Environ Mol Mutagen* 16(18):55-137.
- *Anderson H, Falk C, Hanrahan L, et al. 1998. Profiles of Great lakes critical pollutants: a sentinel analysis of human blood and urine. *Environ Health Perspect* 106(5):279-289.
- *Anderson HA. 1985. Utilization of adipose tissue biopsy in characterizing human halogenated hydrocarbon exposure. *Environ Health Perspect* 60:127-131.
- *Anderson HA, Holstein EC, Daum SM, et al. 1978a. Liver function tests among Michigan and Wisconsin dairy farmers. *Environ Health Perspect* 23:333-339.
- *Anderson HA, Lilis R, Selikoff IJ, et al. 1978b. Unanticipated prevalence of symptoms among dairy farmers in Michigan and Wisconsin. *Environ Health Perspect* 23:217-226.
- *Anderson HA, Rosenman KD, Snyder J. 1978c. Carcinoembryonic antigen (CEA) plasma levels in Michigan and Wisconsin dairy farmers. *Environ Health Perspect* 23:193-197.
- *Anderson HA, Wolff MS, Fischbein A, et al. 1978d. Investigation of the health status of Michigan Chemical Corporation employees. *Environ Health Perspect* 23:187-191.
- *Anderson HA, Wolff MS, Lilis R, et al. 1979. Symptoms and clinical abnormalities following ingestion of polybrominated-biphenyl-contaminated food products. *Ann N Y Acad Sci* 320:684-702.

9. REFERENCES

- *Andersson O, Blomkvist G. 1981. Polybrominated aromatic pollutants found in fish in Sweden. *Chemosphere* 10(9):1051-1060.
- *Andersson O, Wartanian A. 1992. Levels of polybrominated camphenes toxaphene chlordane compounds and polybrominated diphenyl ethers in seals from Swedish waters. *Ambio* 21(8):550-552.
- Andersson PL, Wagman N, Berg H, et al. 1999. Biomagnification of structurally matched polychlorinated and polybrominated diphenylethers (PCDE/PBDE) in zebrafish (*Danio rerio*). *Organohalogen Compounds* 43:9-12.
- *Andres J, Lambert I, Robertson L, et al. 1983. The comparative biologic and toxic potencies of polychlorinated biphenyls and polybrominated biphenyls. *Toxicol Appl Pharmacol* 70:204-215.
- Anliker R, Moser P, Poppinger D. 1988. Bioaccumulation of dyestuffs and organic pigments in fish. Relationships to hydrophobicity and steric factors. *Chemosphere* 17:1631-1644.
- Anonymous. 1981. Workplace environmental exposure level guide- decambromodiphenyl oxide. *Am Ind Hyg Assoc J* 12(4):A-76-77.
- Anonymous. 1998. Swedish research spotlights brominated flame retardant risks. *ENDS Rep* 276:6.
- Anonymous. 2000. TV makers battle with bromine barons over fire safety. *ENDS Rep* 309:30-31.
- *Argus Research Laboratories. 1984. Dosage-range embryo/fetal toxicity & teratogenic potential of Saytex 115 administered orally via gavage to Crl: CONB CD (SD) BR presumed pregnant to rats. Submitted to U.S. EPA under TSCA Section 8D, Fiche no. OTS0522189.
- *Argus Research Laboratories. 1985a. Embryo/fetal toxicity and teratogenic potential study of Saytex® 115 administered orally via gavage to Crl: COBS® CD® (SD) BR presumed pregnant rats. Submitted to U.S. EPA under TSCA Section 8E, Fiche no. OTS0000973.
- *Argus Research Laboratories. 1985b. Embryo/fetal toxicity and teratogenic potential study of Saytex® 115 administered orally via gavage to Crl: COBS® CD® (SD) BR presumed pregnant rats. Submitted to U.S. EPA under TSCA Section 8E, Fiche no. OTS0509725.
- Arneric SP, McCormack KM, Braselton WE, et al. 1980. Altered metabolism of progesterone by hepatic microsomes from rats following dietary exposure to polybrominated biphenyls. *Toxicol Appl Pharmacol* 54:187-196.
- Ashby J, Tennant RW. 1988. Chemical structure, Salmonella mutagenicity and extent of carcinogenicity as indicators of genotoxic carcinogenesis among 222 chemicals tested in rodents by the U.S. NCI/NTP. *Mutat Res* 204:17-115.
- Ashby J, Tennant RW. 1991. Definitive relationships among chemical structure carcinogenicity and mutagenicity for 301 chemicals tested by the U.S. NTP. *Mutat Res* 257:229-306.
- Asplund L, Athanasiadou M, Sjodin A, et al. 1999a. Organohalogen substances in muscle, egg and blood from healthy Baltic salmon (*Salmo salar*) and Baltic salmon that produced offspring with the M74 syndrome. *Ambio* 28(1):67-76.

9. REFERENCES

- *Asplund L, Hornung M, Peterson RE, et al. 1999b. Levels of polybrominated diphenyl ethers (PBDEs) in fish from the Great Lakes and Baltic Sea. *Organohalogen Compounds* 40:351-354.
- *Atkinson R. 1987a. Estimation of OH radical reaction rate constants and atmospheric lifetimes for polychlorobiphenyls, dibenzo-p-dioxins, and dibenzofurans. *Environ Sci Technol* 21:305-307.
- *Atkinson R. 1987b. A structure-activity relationship for the estimation of rate constants for the gas-phase reactions of OH radicals with organic compounds. *Int J Chem Kinet* 19:779-828.
- *Atlas E, Giam CS. 1987. Ambient concentration and precipitation scavenging of atmospheric organic pollutants. *Water Air Soil Pollut* 38:19-36.
- *Aulerich RJ, Ringer RK. 1979. Toxic effects of dietary polybrominated biphenyls on mink. *Arch Environ Contam Toxicol* 8:487-498.
- Aust SD. 1984. On the mechanism of anorexia and toxicity of TCDD and related compounds. *Banbury Rep* 18:309-318.
- *Aust SD, Dannan GA, Slieght SD et al. 1981. Toxicology of polybrominated biphenyls. In: Khan MAQ, Stanton RH, eds. *Toxicology of halogenated hydrocarbons: Health and ecological effects*. Oxford, NY Pergamon Press, 73-96.
- Babish JG, Stoewsand GS. 1977. Polybrominated biphenyls: Inducers of hepatic microsomal enzymes and type A cytochrome P450 in the rat. *J Toxicol Environ Health* 3:673-682.
- *Babish JG, Stoewsand GS, Lisk DJ. 1978. Effect of diet on the hepatotoxicity of polybrominated biphenyls (FireMaster PB-6). *Environ Health Perspect* 23:133-137.
- *Bahn AK, Mills JL, Snyder PJ, et al. 1980. Hypothyroidism in workers exposed to polybrominated biphenyls. *N Engl J Med* 302(1):31-33.
- *Ballschmiter K, Zell M. 1980. Baseline studies of the global pollution: Occurrence of organohalogen in pristine European and Antarctic aquatic environments. *Int J Environ Anal Chem* 8:15-25.
- Bank PA, Cullum ME, Jensen RK, et al. 1989. Effect of hexachlorobiphenyl on vitamin A homeostasis in the rat. *Biochim Biophys Acta* 990:306-314.
- *Bannister R, Biegel L, Davis D, et al. 1989. 6-Methyl-1,3,8-trichlorodibenzofuran (MCDF) as a 2,3,7,8-tetrachlorodibenzo-p-dioxin antagonist in C57BL/6 mice. *Toxicology* 54:139-150.
- *Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. *Regul Toxicol Pharmacol* 8:471-486.
- Barontini F, Cozzani V, Cussola A, et al. 2001. Investigation of hexabromocyclododecane thermal degradation pathways by gas chromatography/mass spectrometry. *Rapid Commun Mass Spectrom* 15(9):690-698.
- *Barr M. 1980. Pediatric aspects of the Michigan polybrominated biphenyl contamination. *Environ Res* 21:255-274.

9. REFERENCES

- *Beaudoin AL. 1977. Teratogenicity of polybrominated biphenyls in rats. *Environ Res* 14:81-86.
- *Beaudoin AR. 1979. Embryo toxicity of polybrominated biphenyls. *Adv Study Birth Defects* 2:211-222.
- *Bekesi JG, Anderson HA, Roboz JP, et al. 1979. Immunologic dysfunction among PBB-exposed Michigan dairy farmers. *Ann N Y Acad Sci*:717-728.
- *Bekesi JG, Holland JF, Anderson HA, et al. 1978. Lymphocyte function of Michigan dairy farmers exposed to polybrominated biphenyls. *Science* 199:1207-1209.
- *Bekesi JG, Roboz J, Fischbein A, et al. 1985. Immunological, biochemical, and clinical consequences of exposure to polybrominated biphenyls. In: Dean JH, Luster MI, Munson AE, et al., eds. *Immunotoxicology and Immunopharmacology*. New York, NY: Raven Press, 393-406.
- *Berger GS. 1994. Epidemiology of endometriosis. In: Berger GS, ed. *Endometriosis: Advanced management and surgical techniques*. New York, NY: Springer-Verlag.
- Bergman A. 2000. Brominated flame retardants-a burning issue. *Organohalogen Compounds* 47:35-40.
- *Bergman A, Athanasiadou M, Wehler EK, et al. 1999. Polybrominated environmental pollutants. Human and wildlife exposures. *Organohalogen Compounds* 43:89-92.
- Bergman A, Oestman C, Nybom R, et al. 1997. Flame retardants and plasticizers on particulates in the modern computerized indoor environment. *Organohalogen Compounds* 1987:414-419.
- Bernert JT, Groce DF. 1984. Acute response of rat liver microsomal lipids, lipid peroxidation, and membrane anisotropy to a single oral dose of polybrominated biphenyls. *J Toxicol Environ Health* 13:673-687.
- *Bernert JT, Groce DF, Kimbrough RD. 1983. Long-term effects of a single oral dose of polybrominated biphenyls on serum and liver lipids in rats. *Toxicol Appl Pharmacol* 68:424-433.
- *Berry DL, DiGiovanni J, Juchou MR, et al. 1978. Lack of tumor-promoting ability of certain environmental chemicals in a two-stage mouse skin tumorigenesis assay. *Res Commun Chem Pathol Pharmacol* 20:101-108.
- *Berry DL, Slaga TJ, DiGiovanni J, et al. 1979. Studies with chlorinated dibenzo-(p)-dioxins, polybrominated biphenyls, and polychlorinated biphenyls in a two-stage system of mouse skin tumorigenesis: Potent anticarcinogenic effects. *Ann N Y Acad Sci* 320:405-414.
- Betts KS. 2002. Rapidly rising PBDE levels in North America. *Environ Sci Technol* 36(3):50A-52A.
- Beutler B, Cerami A. 1987. Cachectin: More than a tumor necrosis factor. *N Engl J Med* 316(7):379-385.
- *Bieniek D, Bahadir M, Korte F. 1989. Formation of heterocyclic hazardous compounds by thermal degradation of organic compounds. *Heterocycles* 28(2):719-722.
- Blake BW, Enslein K, Gombar VK, et al. 1990. Salmonella mutagenicity and rodent carcinogenicity: quantitative structure-activity relationships. *Mutat Res* 241(3):261-271.

9. REFERENCES

- Bleavins MR, Aulerich RJ. 1987. Feed consumption and food passage time in mink (*Mustela vison*) and European ferrets (*Mustela putorius furo*). Lab Anim Sci 31:268-269.
- *Bleavins MR, Aulerich MR, Ringer RK. 1980. Placental and mammary transfer of polychlorinated and polybrominated biphenyls in the mink and ferret. ASTM Spec Tech Publ 757:121-131.
- *BLR. 2002. Book of chemical lists on CD-Rom. Business & Legal Reports, Inc. Old Saybrook, CT.
- *Booij K, Zegers BN, Boon JP. 2000. Levels of some polybrominated diphenyl ether (PBDE) flame retardants along the Dutch Coast as derived from their accumulation in SPMDs and Blue mussels (*Mytilus edulis*). Organohalogen Compounds 47:89-92.
- *Borlakoglu JT, Wilkins JP. 1993. Metabolism of di-, tri- and tetrabromobiphenyls by hepatic microsomes isolated from control animals and animals treated with Aroclor 1254, a commercial mixture of polychlorinated biphenyls (PCBs). Comp Biochem Physiol C 105(1):107-112.
- *Brenner KS, Knies H. 1993. Workplace of PBDFs and PBDDs during extrusion production and injection modeling of a polybutyleneterephthalate (PBTP) glass fiber/tetrabromo-bisphenol A carbonate oligomer (BC52)/Sb2O3-resin; part II. Chemosphere 26(11):1953-1963.
- *Breslin WJ, Kirk HD, Zimmer MA. 1989. Teratogenic evaluation of a polybromodiphenyl oxide mixture in New Zealand white rabbits following oral exposure. Fundam Appl Toxicol 12(1):151-157.
- *Brilliant LB, Van Amburg G, Isbister J, et al. 1978. Breast-milk monitoring to measure Michigan's contamination with polybrominated biphenyls. Lancet: 643-646.
- *British Industrial Biological Research Association. 1977. The acute oral toxicity of pentabromodiphenylether to rats. Submitted to U.S. EPA under TSCA Section 8D, Fiche no. OTS052287.
- Brouwer A. 1998. Structure-dependent multiple interactions of polyhalogenated aromatic hydrocarbons with the thyroid hormone system. Organohalogen Compounds 37:225-232.
- *Brown GG, Nizon R. 1979. Exposure to polybrominated biphenyls. Some effects on personality and cognitive functioning. JAMA 242:523-527.
- *Brown GG, Preisman RC, Anderson MD, et al. 1981. Memory performance of chemical workers exposed to polybrominated biphenyls. Science 212:1413-1415.
- *BSEF. 2002. An introduction to brominated flame retardants. Bromine Science and Environmental Forum. Brussels, Belgium, 1-28.
- *Buchmann A, Ziegler S, Wolf A, et al. 1991. Effects of polychlorinated biphenyls in rat liver: Correlation between primary subcellular effects and promoting activity. Toxicol Appl Pharmacol 111:454-468.
- *Bureau S, Broman D, Zebuhr Y. 1999. Biomagnification quantification of PBDEs in fish using stable nitrogen isotopes. Organohalogen Compounds 40:363-366.
- *Bureau S, Axelman J, Brogman D, et al. 1997. Dietary uptake in pike (*Esox incius*) of some polychlorinated biphenyls, polychlorinated naphthalenes and polybrominated diphenyl ethers administered in natural diets. Environ Toxicol Chem 16:2508-2513.

9. REFERENCES

- *Burreau S, Zeb HR, Ishaq R, et al. 2000. Comparison of biomagnification of PBDEs in food chains from the Baltic Sea and the North Atlantic Sea. *Organohalogen Compounds* 47:253-255.
- *Burse VW, Needham LL, Liddle JA, et al. 1980. Interlaboratory comparison for polybrominated biphenyls in human serum. *J Anal Toxicol* 4:22-26.
- *Buser HR. 1986. Polybrominated dibenzofurans and dibenzo-p-dioxins: Thermal reaction products of polybrominated diphenyl ether flame retardants. *Environ Sci Technol* 20:404-408.
- *Byrne JJ, Carbone JP, Hanson EA. 1987. Hypothyroidism and abnormalities in the kinetics of thyroid hormone metabolism in rats treated chronically with polychlorinated biphenyl and polybrominated biphenyl. *Endocrinology* 21:520-527.
- *Byrne JJ, Carbone JP, Pepe MG. 1988. Suppression of serum adrenal cortex hormones by chronic low-dose polychlorobiphenyl or polybromobiphenyl treatments. *Arch Environ Contam Toxicol* 17:47-53.
- *Cabe PA, Tilson HA. 1978. Hind limb extensor response: A method for assessing motor dysfunction in rats. *Pharmacol Biochem Behav* 9:133-136.
- *Cagen SZ, Preache MM, Gibson JE. 1977. Enhanced disappearance of drugs from plasma following polybrominated biphenyls. *Toxicol Appl Pharmacol* 40:317-325.
- *Carlson GP. 1980a. Induction of xenobiotic metabolism in rats by brominated diphenyl ethers administered for 90 days. *Toxicol Lett* 6:207-212.
- *Carlson GP. 1980b. Induction of xenobiotic metabolism in rats by short-term administration of brominated phenyl ethers. *Toxicol Lett* 5(1):19-26.
- *Castracane VD, Allen-Rowlands CF, Hamilton MG, et al. 1982. The effect of polychlorinated biphenyl (PBB) on testes, adrenal, and pituitary function in the rat. *Proc Soc Exp Biol Med* 169:343-347.
- CDC/ATSDR. 1990. Biomarkers of organ damage or dysfunction for the renal, hepatobiliary, and immune systems. Biomarkers of organ damage or dysfunction for the renal, hepatobiliary, and immune systems: Centers for Disease Control/Agency for Toxic Substances and Disease Registry. Atlanta, GA.
- *Chanda JJ, Anderson HA, Glamb RW, et al. 1982. Cutaneous effects of exposure to polybrominated biphenyls (PBBs): The Michigan PBB incident. *Environ Res* 29:97-108.
- Chen E. 1979. *An American tragedy prentice*. Englewood Cliffs, NJ: Prentice-Hall Inc.
- *Chen G, Konstantinov AD, Chittim BG, et al. 2001. Synthesis of polybrominated diphenyl ethers and their capacity to induce CYPIA by the Ah receptor mediated pathway. *Environ Sci Technol* 35(18):3749-3756.
- Chen LC, Berberian I, Koch B, et al. 1992. Polychlorinated and polybrominated biphenyl congeners and retinol levels in rat tissues: Structural-activity relationships. *Toxicol Appl Pharmacol* 114(1):47-55.
- Chessells M, Hawker DW, Connell DW. 1992. Influence of solubility in lipid on bioconcentration of hydrophobic compounds. *Ecotoxicol Environ Saf* 23:260-273.

9. REFERENCES

- *Chhabra RS, Bucher JR, Hasman JK, et al. 1993. Comparative carcinogenicity of polybrominated biphenyls with or without perinatal exposure in rats and mice. *Fundam Appl Toxicol* 21(4):451-460.
- Choudhry GG, Sundstrom G, Ruzo LO, et al. 1977. Photochemistry of chlorinated diphenyl ethers. *J Agric Food Chem* 25:1371-1376.
- *Chou SF, Jacobs LW, Penner, D, et al. 1978. Absence of plant uptake and translocation of polybrominated biphenyls (PBBs). *Environ Health Perspec* 23:9-12.
- *Christensen JH, Platz J. 2001. Screening of polybrominated diphenyl ethers in blue mussels, marine and freshwater sediments in Denmark. *J Environ Monitor* 3(5):543-547.
- Chu I, Villeneuve DC, Becking GC, et al. 1980. Short-term study of the combined effects of mirex, photomirex, and Ketone with halogenated biphenyls in rat. *J Toxicol Environ Health* 6:421-432.
- *Clewell HJ III, Andersen ME. 1985. Risk assessment extrapolations and physiological modeling. *Toxicol Ind Health* 1(4):111-131.
- *Colborn T, Clement C, eds. 1992. Chemically-induced alterations in sexual and functional development: The wildlife-human connection. In: *Advances in modern environmental toxicology*, Vol. XX1. Princeton, NJ: Princeton Scientific Publishing.
- *Colborn T, vom Saal F, Soto A. 1993. Developmental effects of endocrine-disrupting chemicals in wildlife and humans. *Environ Health Perspect* 101(5):378-384.
- Collins WT, Capen CC, Garthoff LH, et al. 1978. Comparative toxicity of polychlorinated biphenyl and polybrominated biphenyl in the rat thyroid gland: light and electron microscopic alterations after subacute dietary exposure. *J Environ Pathol Toxicol* 1:587-599.
- *Corbett TH, Beaudoin AR, Cornell RG, et al. 1975. Toxicity of polybrominated biphenyls (Firemaster BP-6) in rodents. *Environ Res* 10:390-396.
- *Corbett TH, Simmons JL, Kawanishi H, et al. 1978. EM changes and other toxic effects of FireMaster BP-6 (polybrominated biphenyls) in the mouse. *Environ Health Perspect* 23:275-281.
- *Cordel F, Corneliussen P, Jelinek C, et al. 1978. Human exposure to polychlorinated biphenyls and polybrominated biphenyls. *Environ Health Perspect* 24:157-172.
- *Covaci A, de Boer J, Ryan JJ, et al. 2002. Determination of polybrominated diphenyl ethers and polychlorinated biphenyls in human adipose tissues by large-volume injection-narrow-bore capillary gas chromatography/electron impact low-resolution mass spectrometry. *Anal Chem* 74(4):790-798.
- *Cramer PH, Ayling RE, Thornburg KR, et al. 1990. Evaluation of an analytical method for the determination of polybrominated dibenzo-p-dioxins/dibenzofurans (PBDD/PBDF) in human adipose. *Chemosphere* 20(7-9):821-827.
- *Crisp TM, Clegg ED, Cooper RL, et al. 1998. Environmental endocrine disruption: An effects assessment and analysis. *Environ Health Perspect* 106(1):11-56.
- *Dagnani MJ, Barda HJ, Benya TJ, et al. 1986. Bromine Compounds. In: Gerhartz W, ed. *Ullman's encyclopedia of industrial chemistry*. Baton Rouge, Louisiana, 405-417.

9. REFERENCES

- *Damstra T, Jurgelski W, Posner HS, et al. 1982. Toxicity of polybrominated biphenyls (PBBs) in domestic and laboratory animals. *Environ Health Perspect* 44:175-188.
- *Danerud PO, Eriksen GS, Johannesson T, et al. 2001. Polybrominated diphenyl ethers: occurrence, dietary exposure, and toxicology. *Environ Health Perspect Suppl* 109:49-68.
- *Danish EPA. 1999. Brominated flame retardants. Substance flow analysis and assessment of alternatives. Danish Environmental Protection Agency, 1-200.
- Dannan GA, Guengerich FP, Kaminsky LS, et al. 1983. Regulation of cytochrome P-450. Immunochemical quantitation of eight isozymes in liver microsomes of rats treated with polybrominated biphenyl congeners. *J Biol Chem* 258(2):1282-1288.
- *Dannan GA, Moore RW, Aust SD. 1978a. Studies on the microsomal metabolism and binding of polybrominated biphenyls (PBBs). *Environ Health Perspect* 23:51-61.
- *Dannan GA, Moore RW, Besaw LC, et al. 1978b. 2,4,5,3',4',5'-hexabromobiphenyl is both a 3-methylcholanthrene- and a phenobarbital-type inducer of microsomal drug metabolizing enzymes. *Biochem Biophys Res Commun* 85:450-457.
- *Dannan GA, Sleight SD, Fraker PJ, et al. 1982. Liver microsomal enzyme induction and toxicity studies with 2,4,5,3',4'-pentabromobiphenyl. *Toxicol Appl Pharmacol* 64:187-203.
- *Darjono, Sleight SD, Stowe HD, et al. 1983. Vitamin A status, polybrominated biphenyl (PBB) toxicosis, and common bile duct hyperplasia in rats. *Toxicol Appl Pharmacol* 71:184-193.
- *Darnerud PO, Sinjari T. 1996. Effects of polybrominated diphenyl ethers (PBDEs) and polybrominated biphenyls (PCBs) on thyroxine and TSH blood levels in rats and mice. *Organohalogen Compounds* 29:316-319.
- *Darnerud PO, Thuvander A. 1998. Studies on immunological effects of polybrominated diphenyl ether (PBDE) and polychlorinated biphenyl (PCB) exposure in rats and mice. *Organohalogen Compounds* 35:415-418.
- *Darnerud PO, Atuma S, Aune M, et al. 1998. Polybrominated diphenyl ethers (PBDEs) in breast milk from primiparous women in Uppsala county, Sweden. *Organohalogen Compounds* 35:411-414.
- *Darnerud PO, Eriksen GS, Johannesson T, et al. 2001. Polybrominated diphenyl ethers: Occurrence, dietary exposure, and toxicology. *Environ Health Perspect* 109:49-64.
- *Daston GP, Gooch JW, Breslin WJ, et al. 1997. Environmental estrogens and reproductive health: A discussion of the human and environmental data. *Reprod Toxicol* 11(4):465-481.
- *de Boer J. 1989. Organochlorine compounds and bromodiphenylethers in livers of Atlantic cod (*Gadus morhua*) from the North Sea, 1977-1987. *Chemosphere* 18(11/12):2131-2140.
- *de Boer J. 1990. Brominated diphenyl ethers in Dutch freshwater and marine fish. *Organohalogen Compounds* 2:315-318.
- *de Boer J. 2000. First worldwide interlaboratory study on polybrominated diphenyl ethers (PBDEs). *Organohalogen Compounds* 45:118-121.

9. REFERENCES

- de Boer J, Korytar P. 2001. Analysis of brominated flame retardants- Methodological issues. BFR:45-49.
- *de Boer J, de Boer K, Boon JP. 2000a. Polybrominated biphenyls and diphenylethers. Handbook of Environmental Chemistry 3(K):61-95.
- *de Boer J, Larry R, Dettmer LW, et al. 1998a. Polybrominated diphenyls in human adipose tissue and relation with watching television. A case study. Organohalogen Compounds 35:407-410.
- *de Boer J, Van der Horst A, Wester PG. 2000b. PBDEs and PBBs in suspended particulate matter, sediments, sewage treatment plant in- and effluent and biota from The Netherlands. Organohalogen Compounds 47:85-88.
- de Boer J, van der Zande TE, Pieters H, et al. 2001. Organic contaminants and trace metals in flounder liver and sediment from the Amsterdam and Rotterdam harbours and off the Dutch coast. J Environ Monitor 3(4):386-393.
- *de Boer J, Wester PG, Klamer HJ, et al. 1998b. Do flame retardants threaten ocean life? Nature 394(6688):28-29.
- de Boer J, Wester PG, Pastor RD, et al. 1998c. Polybrominated biphenyls and diphenylethers in sperm whales and other marine mammals. A new threat to ocean life? Organohalogen Compounds 35:383-386.
- *Decarlo VJ. 1979. Studies in brominated chemicals in the environment. Ann N Y Acad Sci 320:678-681.
- *De Kok JJ, De Kok A, Brinkman UA, et al. 1977. Analysis of polybrominated biphenyls. J Chromatogr 142:367-383.
- *De Kok JJ, De Kok A, Brinkman UA. 1979. Analysis of polybrominated aromatic ethers. J Chromatogr 171:269-278.
- *Denison MS, Fisher JM, Whitlock JP. 1989. Protein-DNA interactions at recognition sites for the dioxin-Ah receptor complex. J Biol Chem 264:16478-16482.
- *Dent JG. 1978. Characteristics of cytochrome P-450 and mixed function oxidase enzymes following treatment with PBBs. Environ Health Perspect 23:301-307.
- *de Wit CA. 2000. Levels and trends of BFRs in the European environment. BFR:135-138.
- *de Wit CA. 2002. An overview of brominated flame retardants in the environment. Chemosphere 46(5):583-624.
- *Dicarlo FJD, Seifter J, De Carlo VJ. 1978. Assessment of the hazards of polybrominated biphenyls. Environ Health Perspect 23:351-365.
- *Dixon D, Sleight SD, Aust SD, et al. 1988. Tumor-promoting, initiating, and hepatotoxic effects of 3,4,3',3'-tetrabromobiphenyl (34-TBB) in rats. J Am Coll Toxicol 7(5):687-697.
- *Dodder NG, Strandberg B, Hites RA. 2000. Concentrations and spatial variations of polybrominated diphenyl ethers in fish and air from the northeastern United States. Organohalogen Compounds 47:69-72.

9. REFERENCES

- Dodder NG, Strandberg B, Hites RA. 2002. Concentrations and spatial variations of polybrominated diphenyl ethers and several organochlorine compounds in fishes from the northeastern United States. *Environ Sci Technol* 36(2):146-151.
- *Domino EF, Wright DD, Domino SE. 1980. GC-EC analysis of polybrominated biphenyl constituents of Firemaster FF-1 using tetrabromobiphenyl as an internal standard. *J Anal Toxicol* 4:299-304.
- *Domino LE, Domino SE, Domino EF. 1982. Toxicokinetics of 2,2',4,4',5,5'-hexabromobiphenyl in the rat. *J Toxicol Environ Health* 9:815-833.
- *Dow Chemical Company. 1971. Results of 30 day dietary feeding studies on octabromodiphenyl SA-1902 and decabromodiphenyl oxide SA-1892.1. Submitted to U.S. EPA under TSCA Section 8D, Fiche no. OTS0522265.
- *Dow Chemical Company. 1975. Results of a reproduction study in rats maintained on diets containing decabromodiphenyl oxide. Submitted to U.S. EPA under TSCA Section 8D, Fiche no. OTS0522252.
- *Dow Chemical Company. 1985. Decabromodiphenyloxyde: A summary of an oral teratology study in Sprague-Dawley rats. Submitted to U.S. EPA under TSCA Section 8D, Fiche no. 0522284 .
- *Doucette WJ, Andren AW. 1988. Estimation of octanol/water partition coefficients: Evaluation of six methods for highly hydrophobic aromatic hydrocarbons. *Chemosphere* 17:345-359.
- *Dumler R, Lenoir D, Thoma H, et al. 1990. Thermal formation of polybrominated dibenzofurans and dioxins from decabromodiphenyl ether flame retardants influence of antimony-III oxide and the polymer matrix. *Chemosphere* 20(10-12):1867-1874.
- *Dumler R, Lenoir HTD, Hutzinger O. 1989a. OBDF and PBDD from the combustion of bromine containing flame retarded polymers: A survey. *Chemosphere* 19(12):2023-2031.
- Dumler R, Thoma H, Lenoir D, et al. 1989b. Thermal formation of polybrominated dibenzodioxins (PBDD) and dibenzofurans (PBDF) from bromine containing flame retardants. *Chemosphere* 19(1-6):305-308.
- Dumler-Gradl R, Tartler D, Thoma H, et al. 1995. Detection of polybrominated diphenylethers (PBDE), dibenzofurans (PBDF) and dibenzodioxins (PBDD) in scrap of electronics and recycled products. *Organohalogen Compounds* 24:101-104.
- *Dunckel AE. 1975. An updating on the polybrominated biphenyl disaster in Michigan. *J Am Vet Med Assoc* 167:838-841.
- Dungey S. 2001. Environmental risk assessment of octa-and decabromodiphenyl ether. *BFR*:37-39.
- *Durst HI, et al. 1977. Effects of polybrominated biphenyls on health and performance of pregnant holstein heifers. *J Dairy Sci* 60:1294-1299.
- Easton MDL, Luszniak D, Von der Geest E. 2002. Preliminary examination of contaminant loadings in farmed salmon, wild salmon and commercial salmon feed. *Chemosphere* 46(7):1053-1074.
- *Ebert J, Lorenze W, Bahadir M. 1999. Optimization of the analytical performance of polybrominated dibenzo-p-dioxins and dibenzofurans (PBDD-F). *Chemosphere* 39(6):977-986.

9. REFERENCES

- Ecobichon DJ, Hansell MM, Safe S. 1977. Halogen substituents at the 4- and 4'-positions of biphenyl: Influence on hepatic function in the rat. *Toxicol Appl Pharmacol* 42:359-366.
- Ecobichon DJ, Hansell MM, Safe S. 1979. Isomerically pure bromobiphenyl congeners and hepatic mono-oxygenase activities in the rat: Influence of position and degree of bromination. *Toxicol Appl Pharmacol* 47:341-352.
- *Ecobichon DJ, Hidvegi S, Comeau AM, et al. 1983. Transplacental and milk transfer of polybrominated biphenyls to perinatal guinea pigs from treated dams. *Toxicology* 28:51-63.
- Egginton J. 1980. *The poisoning of Michigan*. New York, New York: WW Norton & Company.
- *Eisenreich SJ, Looney BB, Thornton JD. 1981. Airborne organic contaminants in the Great Lakes ecosystem. *Environ Sci Technol* 15(1):30-38.
- *el Dareer SM, Kalin JR, Tillery KF, et al. 1987. Disposition of decabromobiphenyl ether in rats dosed intravenously or by feeding. *J Toxicol Environ Health* 22(4):405-415.
- *Elferink CJ, Whitlock JPJ. 1990. 2,3,7,8-Tetrachlorodibenzo-p-dioxin-inducible, Ah receptor-mediated bending of enhancer DNA. *J Biol Chem* 265(10):5718-5721.
- *Eljarrat E, Lacorte S, Barcelo D. 2002. Optimization of congener-specific analysis of 40 polybrominated diphenyl ethers by gas chromatography/mass spectrometry. *J Mass Spectrom* 37(1):76-84.
- EPA. 1977. Market input/output studies. Task IV. Polybrominated biphenyls. U.S. Environmental Protection Agency. EPA-560/6-77-017.
- EPA. 1981. Development of test for determining anaerobic biodegradation potential: Washington, DC. U.S. Environmental Protection Agency.
- EPA. 1988a. Polybrominated biphenyl. Code of Federal Regulation: Washington, DC: U.S. Environmental Protection Agency 704.195.
- EPA. 1988b. U.S. Environmental Protection Agency: Part 372. Toxic chemical release reporting: community right-to-know. 40 CFR Ch 1 (7-1-88-ed.).
- *EPA. 1990. Interim methods for development of inhalation reference concentrations. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment, Office of Research and Development, Environmental Criteria and Assessment Office. EPA 600/8-90/066A.
- *EPA. 1995. Toxic chemical release inventory. Reporting form R and instructions. Washington DC: U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics. EPA 745-K-95-051.
- *EPA. 1997. Special report on environmental endocrine disruption: An effects assessment and analysis. Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. EPA/630/R-96/012.
- *EPA. 1997. Automated Form R for Windows: User's guide (RY97). Washington, DC: U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics.

9. REFERENCES

- *EPA. 1998. Instructions for reporting for the 1998 partial updating of the TSCA chemical inventory data base. U.S. Environmental Protection Agency. Office of Prevention, Pesticides and Toxic Substances. EPA 749-B-98-001.
- *EPA. 2001a. List of lists. Consolidated list of chemicals subject to the Emergency Planning and Community Right-to-Know Act (EPCRA) and Section 112(r) of the Clean Air Act. U.S. Environmental Protection Agency. Office of Solid Waste and Emergency Response. EPA 550-B-98-003.
- *EPA. 2002a. Criteria for municipal solid waste landfills. List of hazardous inorganic and organic constituents. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 258, Appendix II. <http://ecfr.access.gpo.gov/otcgi/cfr/otfilter>. April 19, 2002.
- *EPA. 2002b. Identification and listing of hazardous waste. Discarded commercial chemical products, off-specification species, container residues, and spill residues thereof. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.33(f). <http://ecfr.access.gpo.gov/otcgi/cf>. April 19, 2002.
- *EPA. 2002c. Land disposal restrictions. Universal treatment standards. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 268.48(a). <http://ecfr.access.gpo.gov/otcg>. April 19, 2002.
- *EPA. 2002d. Radiation protection program. Health and environmental protection standards for uranium and thorium mill tailings. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 192, Appendix I. <http://ecfr.access.gpo.gov/otcg>. April 19, 2002.
- *EPA. 2002e. Standards for owners and operators of hazardous waste treatment, storage, and disposal facilities. Ground-water monitoring list. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 264, Appendix IX. <http://ecfr.access.gpo.gov/otcgi/cfr/otfilter>. April 19, 2002.
- *EPA. 2002f. Superfund, emergency planning, and community right-to-know programs. Designation, reportable quantities, and notification. Designation of hazardous substances. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.4. <http://ecfr.access.gpo.gov/otcgi/cfr/otfilter>. April 19, 2002.
- *EPA. 2002g. The prior informed consent (PIC) procedure: International right-to-know. U.S. Environmental Protection Agency. Office of Pesticide Programs. <http://www.epa.gov/oppfod01/international/pic.htm>. April 19, 2002.
- *EPA. 2002h. Toxic chemical release reporting: Community right-to-know. Chemicals and chemical categories to which this part applies. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 372.65(c). <http://ecfr.access.gpo.gov/otcgi/cf>. April 18, 2002.
- *EPA. 2002i. Toxic Substances Control Act. Chemical information rules. Chemical lists and reporting periods. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 712.30(d). <http://ecfr.access.gpo.gov/otcgi/cfr/otfil>. April 19, 2002.
- *EPA. 2002j. Toxic Substances Control Act. Dibenzo-para-dioxins/dibenzofurans. Chemical substances for testing. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 766.25(a)(1). <http://ecfr.access.gpo.gov/otcg>. April 19, 2002.

9. REFERENCES

- *EPA. 2002k. Toxic Substances Control Act. Dibenzo-para-dioxins/dibenzofurans. Reporting requirements. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 766.35. <http://ecfr.access.gpo.gov/otcgo/cfr/otfilter>. April 19, 2002.
- *EPA. 2002l. Toxic Substances Control Act. Health and safety data reporting. Substances and listed mixtures to which this subpart applies. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 716.120. <http://ecfr.access.gpo.gov/otcgo/cfr/otfilter>. April 19, 2002.
- *EPA. 2002m. Toxic Substances Control Act. Significant new uses of chemical substances. 4-Bromophenyl phenyl ether. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 721.3430. <http://ecfr.access.gpo.gov/otcgo>. April 19, 2002.
- *EPA. 2002n. Toxic Substances Control Act. Significant new uses of chemical substances. Polybrominated biphenyls. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 721.1790. <http://ecfr.access.gpo.gov/otcgo>. April 18, 2002.
- *EPA. 2002o. Voluntary children's chemical evaluation program. U.S. Environmental Protection Agency. Office of Pollution Prevention and Toxics. <http://www.epa.gov/chemrtk/childhlt.htm>. April 19, 2002.
- Eriksson J, Jakobsson E, Marsh G, et al. 2001. Photo decomposition of brominated diphenylethers in methanol/water. BFR:203-206.
- Eriksson P, Anakarberg E, Viberg H, et al. 2001. Neonatal exposure to toxicants defined critical period: altered adult susceptibility. Neurotoxicology 22(4):510.
- *Eriksson P, Jakobsson E, Fredriksson A. 1998. Developmental neurotoxicity of brominated flame-retardants, polybrominated diphenyl ethers, and tetrabromo-bis-phenol A. Organohalogen Compounds 35:375-377.
- *Eriksson P, Jakobsson E, Fredriksson A. 2001. Brominated flame retardants: a novel class of developmental neurotoxicants in our environment. Environ Health Perspect 109(9):903-908.
- *Eriksson P, Viberg H, Jakobsson E, et al. 1999. PBDE 2,2', 4,4', 5-pentabromodiphenyl ether, causes permanent neurotoxic effects during a defined period of neonatal brain development. Organohalogen Compounds 40:333-336.
- Eriksson P, Viberg H, Jakobsson E, et al. 2002. A brominated retardant, 2,2'4,4',5-pentabromodiphenyl ether: Uptake, retention, and induction of Neurobehavioral alterations in Mice during a critical phase of neonatal brain development. Toxicol Sci 67:98-103.
- *Erney DR. 1975. Confirmation of polybrominated biphenyl residues in feeds and dairy products, using an ultraviolet irradiation-gas-liquid chromatographic technique. J Assoc Off Anal Chem 58(6):1202-1205.
- *EU. 2001. Diphenyl ether, pentabromo derivative (pentabromodiphenyl ether). European Union Risk Assessment Report. Luxembourg: Office for Official Publications of the European Committees, 1-124.
- *Evans MG, Sleight SD. 1989. Effects of simultaneous dietary exposure to 2,2',4,4',5,5'-hexabromobiphenyl and 3,3',4,4',4,4'-hexachlorobiphenyl on hepatic tumor promotion in rats. J Am Coll Toxicol 8(6):1201-1206.

9. REFERENCES

- *Eyster JT, Humphrey HEB, Kimbrough RD. 1983. Partitioning of polybrominated biphenyls (PBBs) in serum, adipose tissue, breast milk, placenta, cord blood, and biliary fluid, and feces. *Arch Environ Health* 38:47-53.
- *Farber T, Kasza L, Giovetti A, et al. 1978. Effect of polybrominated biphenyls (Firemaster BP-6) on the immunologic system of the beagle dog. *Toxicol Appl Pharmacol* 45:343.
- Farrar DB, Crump KS. 1988. Exact statistical tests for any carcinogenic effect in animal bioassays. *Fundam Appl Toxicol* 11(4):652-663.
- Farrar DB, Crump KS. 1990. Exact statistical tests for any carcinogenic effect in animal bioassays. *Fundam Appl Toxicol* 15(4):710-721.
- Farrell TJ. 1980. Glass capillary gas chromatography of chlorinated dibenzofurans, chlorinated anisoles, and brominated biphenyls. *J Chromatogr Sci* 18:10-17.
- *Fawkes J, Albro PW, Walters DB, et al. 1982. Comparison of extraction methods for determination of polybrominated biphenyl residues in animal tissue. *Anal Chem* 54:1866-1871.
- *FDA. 1989. Tolerances for unavoidable poisonous or deleterious substances. Food and Drug Administration. 21 CFR 109.30.
- *FDA. 2001. Indirect food additives: Adhesives and components of coatings. Adhesives. Food and Drug Administration. Code of Federal Regulations. 21 CFR 175.105(c)(5). <http://www.accessdata.fda.gov/>. April 11, 2002.
- *FEDRIP. 2002. Federal Research in Progress. The Dialog Corporation: Cary, NC.
- *Fehrer NV. 1975a. Determination of polybrominated biphenyl residues in dairy products. *J Assoc Off Anal Chem* 58(5):978-982.
- Fehrer NV. 1975b. Determination of polybrominated biphenyl residues in dry animal feeds. *J Assoc Off Anal Chem* 58(6):1206-1210.
- *Fernlof G, Gadhasson I, Podra K, et al. 1997. Lack of effects of some individual polybrominated diphenyl ether (PBDE) and polychlorinated biphenyl congeners on human lymphocyte functions in vitro. *Toxicol Lett* 90(2-3):189-197.
- *Filonow AB, Jacobs LW, Mortland MM. 1976. Fate of polybrominated biphenyls (PBBs) in soils. Retention of hexabromobiphenyl in four Michigan soils. *J Agric Food Chem* 24(6):1201-1204.
- *Fomon SJ. 1966. Body composition of the infant: Part I: The male "reference infant". In: Falkner F, ed. *Human development*. Philadelphia, PA: WB Saunders, 239-246.
- *Fomon SJ, Haschke F, Ziegler EE, et al. 1982. Body composition of reference children from birth to age 10 years. *Am J Clin Nutr* 35:1169-1175.
- Foureman P, Mason JM, Valencia R, et al. 1994. Chemical mutagenesis testing in *Drosophila*. X. Results of 70 coded chemicals tested for the National Toxicology Program. *Environ Mol Mutagen* 23(3):208-227.

9. REFERENCES

- *Fowles JR, Fairbrother A, Baecher-Steppan L, et al. 1994. Immunologic and endocrine effects of the flame-retardant pentabromodiphenyl ether (DE-71) in C57BL/6J mice. *Toxicology* 86(1-2):49-61.
- *Fraker PJ. 1980. The antibody-mediated and delayed type hypersensitivity response of mice exposed to polybrominated biphenyls. *Toxicol Appl Pharmacol* 53:1-7.
- *Fraker and Aust. 1980. The effect of polybrominated biphenyls on the immune response of BALB/c mice. In: Asher IM, ed. Inadvertent modifications of the immune response: the effect of foods, drugs, and environmental contaminants. Proceedings of the 4th FDA Science Symposium. HHS Publication no. (FDA) 80-1074, 270-271.
- Francis BM. 1989. Relative developmental toxicities of nine diphenyl ethers related to nitrofen. *Environ Toxicol Chem* 8(8):681-688.
- Francis BM, Metcalf RL. 1984. Structure activity relationships in diphenyl ether teratogenicity. *Teratology* 29:29A.
- Freeman PK, Jang J-S, Haugen CM. 1996. The photochemistry of polyhaloarenes. XIII. The photohydrodehalogenation of 3,4-dibromobiphenyl. *Tetrahedron* 52(25):8397-8406.
- *Fries GF. 1985a. Bioavailability of soil-borne polybrominated biphenyls ingested by farm animals. *J Toxicol Environ Health* 16:565-579.
- *Fries GF. 1985b. The PBB episode in Michigan: An overall appraisal. *CRC Crit Rev Toxicol* 16:105-156.
- *Fries GF, Jacobs IW. 1980. Residual polybrominated biphenyl contamination: Locations, amounts and significance on dairy farms. *J Dairy Sci* 63:114.
- Fu X, Schmitz FJ. 1999. New brominated diphenyl ether from an unidentified species of *Dysidea* sponge. ¹³C NMR data for some brominated diphenyl ethers. *J Nat Prod* 59(1):1102-1103.
- Fu X, Schmitz FJ, Govindan M, et al. 1995. Enzyme inhibitors: New and known polybrominated phenols and diphenyl ethers from four Indo-Pacific *Dysidea* sponges.
- Gallet G, Perez G, Karlsson S. 2001. Two approaches for extraction and analysis of brominated flame retardants (BFR) and their degradation products in recycled polymers and BFR containing water. *BFR*:177-179.
- *Galloway SM, Armstrong MJ, Reuben C, et al. 1987. Chromosome aberrations and sister chromatid exchanges in Chinese hamster ovary cells: Evaluations of 108 Chemicals. *Environ Mol Mutagen* 10:1-175.
- *Gardner AM, Righter HF, Roach JAG. 1976. Excretion of hydroxylated polychlorinated biphenyl metabolites in cow's milk. *J Assoc Off Anal Chem* 59(2):273-277.
- *Gardner AM, Warren VL, Chen JT, et al. 1979. A metabolite of polybrominated biphenyls: Its identification and decomposition to a brominated dibenzofuran in the gas chromatograph-mass spectrometer. *J Agric Food Chem* 27(1):116-119.

9. REFERENCES

- Gause EM, Ross DH, Hamilton MG, et al. 1979. Correlation of systemic and biochemical effects of PBB with behavioral effects. *Neurobehav Toxicol* 1:269-274.
- *Geller I, Gause EM, Leal BZ, et al. 1985. Behavioral effects of drugs as a function of maternal polybrominated biphenyl body burden. *Toxicol Lett* 24:229-234.
- *Geller I, Hartman RJ, Garcia C, et al. 1979. Effects of polybrominated biphenyl on a discrimination. *Neurobehav Toxicol* 1:263-267.
- Gerlienke SA, Legger FF, Van Meeteren ME, et al. 1998. In vitro inhibition of thyroid hormone sulfation by hydroxylated metabolites of halogenated aromatic hydrocarbons. *Chem Res Toxicol* 11(9):1075-1081.
- *Getty SM, Rickert DE, Trapp AL. 1977. Polybrominated biphenyl (PBB) toxicosis: an environmental accident. *CRC Crit Rev Environ Control* 7:309-323.
- *Giwerzman A, Carlsen E, Keiding N, et al. 1993. Evidence for increasing incidence of abnormalities of the human testis: A review. *Environ Health Perspect Suppl* 101(2):65-71.
- Glatt H, Ankam E, Robertson LW. 1992. Biphenyl and fluorinated derivatives: liver enzyme-mediated mutagenicity detected in *Salmonella typhimurium* and Chinese hamster V79 cells. *Mutat Res* 281(3):151-156.
- *Glinier D, De Nayer P, Bourdoux P, et al. 1990. Regulation of maternal thyroid during pregnancy. *J Clin Endocrinol Metab* 71:276-287.
- *Gobas FAPC, Clark KE, Shiu WY, et al. 1989. Bioconcentration of polybrominated benzenes and biphenyls and related superhydrophobic chemicals in fish: Elimination into the feces. *Environ Toxicol Chem* 8:231-245.
- *Goldstein JA, Safe S. 1989. Mechanism of action and structure-activity relationships for the chlorinated dibenzo-p-dioxins and related compounds. In: Kimbrough, Jenson, eds. *Halogenated biphenyls, terphenyls, naphthalenes, dibenzodioxins and related products*: Elsevier Science Publishers, 239-293.
- *Goldstein JA, Linko PC, Levy LA, et al. 1979. A comparison of a commercial polybrominated biphenyl mixture, 2,4,5,2',4',5'-hexabromobiphenyl and 2,3,6,7-tetrabromonaphthalene as inducers of liver microsomal drug-metabolizing enzymes. *Biochem Pharmacol* 28:2947-2956.
- Golub MS, Chernoff GF. 1994. Issues in regulatory protection of reproductive health in the workplace. *Occup Med* 9(3):373-386.
- Great Lakes Chemical Corporation. 2001. Initial submission: Letter from Great Lakes Chemical Corporation to U.S. EPA summarizing 90-day inhalation toxicity study of octabromodiphenyl oxide in albino rats, dated 05/25/01. Submitted to U.S. EPA under TSCA Section 8E, Fiche no. OTS0574171.
- Great Lakes Water Quality Board. 1983. An inventory of chemical substances identified in the Great Lakes ecosystem: Vol 2: Windsor, Ontario, Canada, 19, 26, 28.

9. REFERENCES

- Great Lakes Water Quality Board. 1989. Report on the Great Lakes water quality: Appendix B-Great Lake surveillance, Vol 1, 2.3-9-2.3-11.
- *Greaves J, Roboz J, Holland JF, et al. 1984. Determination of the binding of polybrominated biphenyls to serum proteins by negative chemical ionization mass spectrometry. *Chemosphere* 13(5/6):651-656.
- *Griffin RS, Chou SFJ. 1981a. Attenuation of polybrominated biphenyls and hexachlorobenzene by earth materials. Cincinnati, OH: EPA-600/2-81-191, 25-27.
- *Griffin RA, Chou FJ. 1981b. Movement of PCBs and other persistent compounds through soil. *Water Sci Technol* 13:1153-1163.
- *Groce DF, Kimbrough RD. 1984. Stunted growth, increased mortality, and liver tumors of polybrominated biphenyl (PBB) dosed Sherman rats. *J Toxicol Environ Health* 14:695-706.
- *Gupta BN, Moore JA. 1979. Toxicologic assessments of a commercial polybrominated biphenyl mixture in the rat. *Am J Vet Res* 40(10):1458-1468.
- Gupta BN, McConnell EE, Goldstein JA, et al. 1983a. Effects of polybrominated biphenyl mixture in the rat and mouse. *Toxicol Appl Pharmacol* 68:1-18.
- *Gupta BN, McConnell EE, Harris MW, et al. 1981. Polybrominated biphenyl toxicosis in the rat and mouse. *Toxicol Appl Pharmacol* 57:99-118.
- Gupta BN, McConnell EE, Moore JA, et al. 1983b. Effects of a polybrominated biphenyl mixture in the rat and mouse. *Toxicol Appl Pharmacol* 68:19-35.
- *Gustafsson K, Bjork M, Burreau S, et al. 1999. Bioaccumulation kinetic of brominated flame retardants (polybrominated diphenyl ethers) in blue mussels (*Mytilus edulis*). *Environ Toxicol Chem* 18(6):1218-1224.
- *Guzelian PS. 1985. Clinical evaluation of liver structure and function in human exposed to halogenated hydrocarbons. *Environ Health Perspect* 60:159-164.
- *Guzelian PS, Henry CJ, Olin SS, eds. 1992. Similarities and differences between children and adults: Implications for risk assessment. Washington, DC: International Life Sciences Institute Press.
- Haake JM, Merrill JC, Safe S. 1985. The in vitro metabolism of benzo[a]pyrene by polychlorinated and polybrominated biphenyl induced rat hepatic microsomal monooxygenases. *Can J Physiol Pharmacol* 63:1096-1100.
- *Hagenmaier H, She J, Benz T, et al. 1992. Analysis of sewage sludge for polyhalogenated dibenzo-p-dioxins, dibenzofurans, and diphenylethers. *Chemosphere* 25(1-10):1457-1462.
- *Haglund PS, Zook DR, Buser H-R, et al. 1997. Identification and quantification of polybrominated ethers and methoxy-polybrominated diphenyl ethers in Baltic biota. *Environ Sci Technol* 31:3281-3287.
- *Hagmar L, Bergman A. 2001. Human exposure to BFRs in Europe. *BFR*:107-111.
- Hagmar L, Bjork J, Sjodin A, et al. 2001. Plasma levels of persistent organohalogenes and hormone levels in adult male humans. *Arch Environ Health* 56(2):138-143.

9. REFERENCES

- Hagmar L, Jakobsson K, Thuresson K, et al. 2000. Computer technicians are occupationally exposed to polybrominated diphenyl ethers and tetrabromobisphenol A. *Organohalogen Compounds* 47:202-205.
- Hagmar L, Sjodin A, Hoglund P, et al. 2000. Biological half-lives of polybrominated diphenyl ethers and tetrabromobisphenol A in exposed workers. *Organohalogen Compounds* 47:198-201.
- Hairstrom DW. 1995. CRC alternatives: A cold war. *Chem Eng (NY)* 102:65-66.
- *Hakk H, Larson G, Klasson-Wehler E, et al. 1999. Tissue disposition, excretion, and metabolism of 2,2',4,4',5-pentabromodiphenyl ether (BDE-99) in male Sprague-Dawley rats. *Organohalogen Compounds* 40:337-340.
- *Hakk H, Larsen GL, Orn U, et al. 2000. Association of decabromodiphenyl ether with urinary and biliary carrier proteins. *Organohalogen Compounds* 49:108-111.
- Halbert F, Halbert S. 1978. *Bitter harvest*. Grand Rapids, Michigan: William B. Erdmans Publishing company.
- *Hale R, La Guardia M, Harvey E, et al. 2001. Brominated diphenyl ethers in land-spilled sewage sludges in the US. *BFR*:149-152.
- Hale RC, La Guardia MJ, Harvey EP, et al. 2000. Comparison of brominated diphenyl ether fire retardant and organochlorine burdens in fish from Virginia (USA). *Organohalogen Compounds* 47:65-68.
- *Hale RC, La Guardia MJ, Harvey EP, et al. 2001. Polybrominated diphenyl ether flame retardants in Virginia freshwater fishes (USA). *Environ Sci Technol* 35(23):4585-4591.
- *Hallgren S, Darnerud P. 1998. Effects of polybrominated diphenyl ethers (PBDEs), polychlorinated biphenyls (PCBs) and chlorinated paraffins (CPs) on thyroid hormone levels and enzyme activities in rats. *Organohalogen Compounds* 35:391-394.
- *Hallgren S, Sinjari T, Hakansson H, et al. 2001. Effects of polybrominated diphenyl ethers (PBDEs) and polychlorinated biphenyls (PCBs) on thyroid hormone and vitamin A levels in rats and mice. *Arch Toxicol* 75(4):200-208.
- Halvorson MR, Phillips TD, Safe SH, et al. 1985. Metabolism of aflatoxin B1 by rat hepatic microsomes induced by polyhalogenated biphenyl congeners. *Appl Environ Microbiol* 49(4):882-886.
- Hanigan MH, Winkler ML, Drinkwater NR. 1993. Induction of three histochemically distinct populations of hepatic foci in C57BL/6J mice. *Carcinogenesis* 14(5):1035-1040.
- *Hardell L, Lindstrom G, van Bavel B, et al. 1998. Concentrations of the flame retardant 2,2',4,4'-tetrabrominated diphenyl ether in human adipose tissue in Swedish persons and the risk for non-Hodgkin's lymphoma. *Oncol Res* 10(8):429-432.
- Hardy ML. 1999. Regulatory status and environmental properties of brominated flame retardants undergoing risk assessment in the EU: DBDPO, OBDPO, PEBDPO and HBCD. *Polym Degrad Stab* 64(3):545-556.

9. REFERENCES

- *Hardy ML. 2000a. Properties of the major commercial PBDPO flame retardant, DBDPO, in comparison to PBB and PCB. *Organohalogen Compounds* 47:233-236.
- Hardy ML. 2000b. The toxicity of the commercial polybrominated diphenyl oxide flame retardants: DBDPO, OBDPO, PeBDPO. *Organohalogen Compounds* 47:41-44.
- Hardy M. 2001. Assessment of reported decabromodiphenyl oxide blood and air levels in Swedish workers and their workplace. *BFR*:121-124.
- *Hardy ML. 2002a. A comparison of the properties of the major commercial PBDPO/PBDE product to those of major PBB and PCB products. *Chemosphere* 45(5):717-728.
- *Hardy ML. 2002b. The toxicology of the three commercial polybrominated diphenyl oxide (ether) flame retardants. *Chemosphere* 46(5):757-777.
- Harju M, Andersson, PL, Haglund P, et al. 2002. Multivariate physiochemical characterization and quantitative structure-property relationship modelling of polybrominated diphenyl ethers. *Chemosphere* 47:375-384.
- Harner T. 2001. Measurements on octanol-air partition coefficients (KOA) for polybrominated diphenyl ethers (PBDEs): Predicting partitioning in the environment. *BFR*:55-58.
- Harner T, Shoeib M. 2002. Measurements of octanol-air partition coefficients (KOA) for polybrominated diphenyl ethers (PBDEs): Predicting partitioning in the environment. *J Chem Eng Data* 47(2):228-232.
- Harris SJ, Cecil HC, Bitman J. 1978a. Effects of feeding a polybrominated biphenyl flame retardant (FireMasterBP-6) to male rats. *Bull Environ Contam Toxicol* 19:692-696.
- *Harris SJ, Cecil HC, Bitman J. 1978b. Embryotoxic effects of polybrominated biphenyls (PBB) in rats. *Environ Health* 23:295-300.
- Hartonen K, Bowadt S, Hawthorne SB, et al. 1997. Supercritical fluid extraction with solid-phase trapping of chlorinated and brominated pollutants from sediment samples. *J Chromatogr A* 774(1-2):229-242.
- *Hass JR, McConnell EE, Harvan DJ. 1978. Chemical and toxicologic evaluation of Firemaster BP-6. *J Agric Food Chem* 26:94-99.
- Haung Q, Rusling JF. 1995. Formula reduction potentials and redox chemistry of polyhalogenated biphenyls in a bicontinuous microemulsion. *Environ Sci Technol* 29(1):98-103.
- *Haworth S, Lawlor T, Mortelmans K, et al. 1983. Salmonella mutagenicity test results for 250 chemicals. *Environ Mutagen* 5:3-142.
- *HazDat. 2002. PBBs and PBDEs. Hazardous substance release and health effects database. Agency for Toxic Substances and Disease Registry. <http://www.atsdr.cdc.gov/hazdat.html>.
- *Heinz GH, Erdman TC, Haseltine SD, et al. 1985. Contaminant levels in colonial waterbirds from Green Bay and Lake Michigan, 1975-80. *Environ Monit Assess* 5:223-236.

9. REFERENCES

- *Heinz GH, Haseltine SD, Reichel WL, et al. 1983. Relationships of environmental contaminants to reproductive success in red-breasted mergansers [*Mergus serrator*] from Lake Michigan. *Environ Pollut Ser A* 32:211-232.
- *Helleday T, Tuominen KL, Bergman A, et al. 1999. Brominated flame retardants induce intragenic recombination in mammalian cells. *Mutat Res* 439(2):137-147.
- *Henck JW, Rech RH. 1986. Effect of perinatal polybrominated biphenyl exposure on acquisition and performance of an autoshaping paradigm. *Neurotoxicology* 7(2):651-664.
- *Henck JW, Mattson JL, Rezabek DH, et al. 1994. Development neurotoxicity of polybrominated biphenyls. *Neurotoxicol Teratol* 16(4):391-399.
- *Henderson AK, Rosen D, Miller GL, et al. 1995. Breast cancer among women exposed to polybrominated biphenyls. *Epidemiology* 6(5):544-546.
- Henry B, Grant SG, Klopman G, et al. 1998. Induction of forward mutations at the thymidine kinase locus of mouse lymphoma cells: evidence for electrophilic and non-electrophilic mechanisms. *Mutat Res* 397(2):313-335.
- *Hesse JL, Powers RA. 1978. Polybrominated biphenyl (PBB) contamination of the Pine River, Gratiot, and Midland counties, Michigan. *Environ Health Perspect* 23:19-25.
- *Hill RH. 1985. Effects of polyhalogenated aromatic compounds on porphyrin metabolism. *Environ Health Perspect* 60:139-143.
- *Hill RH, Patterson DG, Orti DL, et al. 1982. Evidence of degradation of polybrominated biphenyls in soil samples from Michigan. *J Environ Sci Health B* 17(1):19-33.
- *Hillery BR, Basu I, Sweet CW, Hites RA. 1997. Temporal and spatial trends in a long-term study of gas-phase PCB concentrations near the great lakes. *Environ Sci Technol* 31:1811-1816.
- *Hoel DG, Davis DL, Miller AB, et al. 1992. Trends in cancer mortality in 15 industrialized countries, 1969-1986. *J Natl Cancer Inst* 84(5):313-320.
- Hoel DG, Haseman JK, Hogan MD, et al. 1988. The impact of toxicity on carcinogenicity studies: implications for risk assessment. *Carcinogenesis* 9(11):2045-2052.
- Holladay SD. 1999. Prenatal immunotoxicant exposure and postnatal autoimmune disease. *Environ Health Perspect Suppl* 107:687-691.
- Holladay SD, Smialowicz RJ. 2000. Development of the murine and human immune system: differential effects of immunotoxicants depend on time of exposure. *Environ Health Perspect Suppl* 108:463-473.
- *Hollowell G, Norman W, Staehling W, et al. 1998. Iodine nutrition in the United States. Trends and public health implications: Iodine excretion data from national health and nutrition examination surveys I and III (1971-1974 and 1988-1994). *J Clin Endocrinol Metab* 83(10):3401-3408.
- *Hooper H, McDonald TA. 2000. The PBDEs: an emerging environmental challenge and another reason for breast-milk monitoring programs. *Environ Health Perspect* 108(5):387-392.

9. REFERENCES

- *Hoque A, Sigurdson AJ, Burau KD, et al. 1998. Cancer among a Michigan cohort exposed to polybrominated biphenyls in 1973. *Epidemiology* 9(4):373-378.
- *Hori S, Akutsu K, Kitagawa M, et al. 2000. Development of analysis for polybrominated diphenyl ether in seafood and actual contamination of seafood. *Organohalogen Compounds* 47:214-217.
- *Howard SK, Werner PR, Sleight SD. 1980. Polybrominated biphenyl toxicosis in swine: Effects on some aspects of the immune system in lactating sows and their offspring. *Toxicol Appl Pharmacol* 55:146-153.
- *Howie L, Dickerson R, Davis D, et al. 1990. Immunosuppressive and monooxygenase induction activities of polychlorinated diphenyl ether congeners in C57BL/6N mice: quantitative structure-activity relationships. *Toxicol Appl Pharmacol* 105:254-263.
- *HSDB. 2002a. Hazardous Substances Data Bank. <http://toxnet.nlm.nih.gov/cgi-bin/sis/search>. April 18, 2002.
- *HSDB. 2002b. Hazardous Substances Data Bank. <http://toxnet.nlm.nih.gov/cgi-bin/sis/search>. June 24, 2002.
- HSDB. 2002c. Hazardous Substances Data Bank. <http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?HSDB>.
- Huber S, Ballschmiter K. 2001. Characterization of five technical mixtures of brominated flame retardants. *Fresenius J Anal Chem* 371(6):882-890.
- *Hughs MF, Edwards BC, Mitchell CT, et al. 2001. In vitro dermal absorption of flame retardant chemicals. *Food Chem Toxicol* 39(12):1263-1270.
- *Humble CG, Speizer FE. 1984. Polybrominated biphenyls and fetal mortality in Michigan. *Am J Public Health* 74(10):1130-1132.
- *Humphrey HE, Hayner NS. 1975. Polybrominated biphenyls: An agricultural incident and its consequences. II. An epidemiological investigation of human exposure. In: *Proceedings of the 9th Trace Substances in Environmental Health Annual Conference*, Columbia, MO, April 12-23, 1975. University of Missouri, Columbia, MO, 57-63.
- IARC. 1978. IARC monographs on the evaluation of carcinogenic risks humans. Vol. 18: Polychlorinated biphenyls and polybrominated biphenyls. World Health Organization, Lyon, France, 108-125.
- *IARC. 1986. IARC monographs on the evaluation of carcinogenic risks humans. Vol. 41: Some halogenated hydrocarbons and pesticide exposures. World Health Organization, Lyon, France, 261-292.
- *IARC. 1987. IARC monographs on the evaluation of carcinogenic risks to humans. Vol. 1-42: Polybrominated Biphenyls (Group 2B) Overall evaluations of carcinogenicity: An updating of IARC monographs. World Health Organization, Lyon, France, 321-322.
- IARC. 1990. IARC Monographs on the evaluation of carcinogenic risks to humans. Vol. 48: Decabromodiphenyl oxide. World Health Organization, Lyon, France, 73-84.

9. REFERENCES

- *Ikonomou MG, Crewe N, He T, et al. 1999. Polybrominated-diphenyl-ether in biota samples from coastal British Columbia, Canada. *Organohalogen Compounds* 40:341-345.
- *Ikonomou MG, Fisher M, He T, et al. 2000. Congener patterns, spatial and temporal trends of polybrominated diphenyl ethers in biota samples from the Canadian west coast and the northwest territories. *Organohalogen Compounds* 47:77-80.
- *IRCD. 1974. Decabromodiphenyl ether. Acute toxicity studies in rats and rabbits. International Research and Development Corporation. Submitted to U.S. EPA under TSCA Section 8D, Fiche no. OTS0523319.
- *IRDC. 1975a. Octabromodiphenyl ether. Acute toxicity studies in rats and rabbits. International Research and Development Corporation. Submitted to U.S. EPA under TSCA Section 8D, Fiche no. OTS05222968.
- *IRDC. 1975b. Pentabromodiphenyl ether. Acute toxicity studies in rats and rabbits. International Research and Development Corporation. Submitted to U.S. EPA under TSCA Section 8D, Fiche no. OTS0522286.
- *IRDC. 1976. Decabromodiphenyl ether and octabromodiphenyl ether. A twenty-eight day toxicity study in rats. International Research and Development Corporation. Submitted to U.S. EPA under TSCA Section 8D, Fiche no. OTS0523322.
- *IRDC. 1977. Octabromodiphenyl ether. Thirteen week feeding study in rats. International Research and Development Corporation. Submitted to U.S. EPA under TSCA Section 8D, Fiche no. OTS0522297.
- *IRDC. 1978. Octabromodiphenyl ether. Subacute inhalation toxicity study in rats. International Research and Development Corporation. Submitted to U.S. EPA under TSCA Section 8D, Fiche no. OTS0522293.
- *IRIS. 2002. Integrated Risk Information System. <http://www.epa.gov/iris>. April 18, 2002.
- Jackson TF, Halbert FL. 1974. A toxic syndrome associated with the feeding of polybrominated biphenyl-contaminated protein concentrate to dairy cattle. *J Am Vet Med Assoc* 165:437-439.
- Jackson MA, Stack HF, Waters MD. 1993. The genetic toxicology of putative nongenotoxic carcinogens. *Mutat Res* 296(3):241-277.
- *Jacobs LW, Chou SF, Tiedje JM. 1976. Fate of polybrominated biphenyls (PBBs) in soils: Persistence and plant uptake. *J Agric Food Chem* 24:1198-1201.
- *Jacobs LW, Chou SF, Tiedje JM. 1978. Field concentrations and persistence of polybrominated biphenyls in soils and solubility of PBB in natural waters. *Environ Health Perspect* 23:1-8.
- Jacobs MN, Lewis DFV. 1999. A QSAR study of organochlorine and isoflavenoid compounds ligand binding affinity to the human oestrogen receptor α . *Organohalogen Compounds* 41:517-520.
- Jacobson JL, Fein GG, Jacobson SW, et al. 1984. The transfer of polychlorinated biphenyls (PCBs) and polybrominated biphenyls (PBBs) across the human placenta and into maternal milk. *Am J Public Health* 74(4):378-379.

9. REFERENCES

- Jacobson JL, Humphrey HEB, Jacobson SW, et al. 1989. Determinants of polychlorinated biphenyls (PCBs), polybrominated biphenyls (PBBs), and dichlorodiphenyl trichloroethane (DDT) levels in the sera of young children. *Am J Public Health* 79:1401-1404.
- *Jaffe R, Stemmler EA, Eitzer BD, et al. 1985. Anthropogenic, polyhalogenated, organic compounds in sedentary fish from Lake Huron and Lake Superior tributaries and embayments. *J Great Lakes Res* 11(2):156-162.
- Jakobsson K, Thuresson K, Rylander L, et al. 2002. Exposure to polybrominated diphenyl ethers and tetrabromobisphenol A among computer technicians. *Chemosphere* 46(5):709-716.
- *Jansson B, Asplund L. 1987. Brominated flame retardants-ubiquitous environmental pollutants? *Chemosphere* 16(10-12):2343-2349.
- *Jansson B, Andersson R, Asplund L, et al. 1991. Multiresidue method for the gas-chromatographic analysis of some polychlorinated and polybrominated pollutants in biological samples. *Fresenius Z Anal Chem* 340:439-445.
- *Jansson B, Andersson R, Asplund L, et al. 1993. Chlorinated and brominated persistent organic compounds in biological samples from the environment. *Environ Toxicol Chem* 12(7):1163-1174.
- *Jaret P. 2000. Health concerns: Defense systems under fire. 38(6):36-41.
- *Jensen RK, Sleight S. 1986. Sequential study on the synergistic effects of 2,2',4,4',5,5'-hexabromobiphenyl and 3,3',4,4',5,5'-hexabromobiphenyl on hepatic tumor promotion. *Carcinogenesis* 7:1771-1774.
- Jensen RK, Zile MH. 1988. Effect of dietary retinoic acid on circulatory vitamin A homeostasis in polybrominated biphenyl-treated rats. *J Nutr* 118:416-419.
- *Jensen RK, Sleight SD, Aust SD, et al. 1983. Hepatic tumor-promoting ability of 3,3',4,4',5,5'-hexabromobiphenyl: The interrelationships between toxicity, induction of hepatic microsomal drug metabolizing enzymes, and tumor-promoting ability. *Toxicol Appl Pharmacol* 71:163-176.
- *Jensen RK, Sleight SD, Aust SD. 1984. Effect of varying the length of exposure to polybrominated biphenyls on the development of gamma-glutamyl transpeptidase enzyme-altered foci. *Carcinogenesis* 5:63-66.
- *Jensen RK, Sleight SD, Goodman JI, et al. 1982. Polybrominated biphenyls as promoters in experimental hepatocarcinogenesis in rats. *Carcinogenesis* 3:1183-1186.
- *Johanson CE. 1980. Permeability and vascularity of the developing brain: Cerebellum vs cerebral cortex. *Brain Res* 190:3-16.
- Johansson M, Larsson C, Bergman A, et al. 1998. Structure-activity relationship for inhibition of CYP11B1-dependent glucocorticoid synthesis in Y1 cells by aryl methyl sulfones. *Pharmacol Toxicol (Amsterdam)* 83:225-230.
- Johnson A, Olson N. 2001. Analysis and occurrence of polybrominated diphenyl ethers in Washington state freshwater fish. *Arch Environ Contam Toxicol* 41(3):339-344.

9. REFERENCES

- Johnston CA, Demarest KT, McCormack KM, et al. 1980. Endocrinological, neurochemical, and anabolic effects of polybrominated biphenyls in male and female rats. *Toxicol Appl Pharmacol* 56:240-247.
- Jones KC, Alcock RE, Kalatzi OI, et al. 2001. Environmental measurements and the global distribution of PBDE's. *BFR*:163-166.
- Juchau MR. 1993. Chemical teratogenesis. *Prog Drug Res* 41:9-50.
- Kaiser R, Marcus M, Michels Blanck H, et al. 2001. PBB exposure and benign breast disease in a cohort of U.S. women. *Am J Epidemiol* 153:S266.
- *Kaiser TE, Reichel WL, Locke LN, et al. 1980. Organochloride pesticide, PCB, and PBB residues and necropsy data for bald eagles from 29 states-1975-77. *Pestic Monit J* 13(4):145-149.
- Kang K-S, Wilson MR, Hayashi T, et al. 1996. Inhibition of gap junction intercellular communication in normal human breast epithelial cells after treatment with pesticides, PCBs, and PBBs, alone or in mixtures. *Environ Health Perspect* 104(2):192-200.
- *Kasza L, Collins WT, Capen CC, et al. 1978a. Comparative toxicity of polychlorinated biphenyl and polybrominated biphenyl in the rat thyroid gland: Light and electron microscope alterations after subacute dietary exposure. *J Environ Pathol Toxicol* 1:587-599.
- Kasza L, Weinberger MA, Hinton DE, et al. 1978b. Comparative toxicity of polychlorinated biphenyl and polybrominated biphenyl in the rat liver: Light and electron microscopic alterations after subacute dietary exposure. *J Environ Pathol Toxicol* 1:241-257.
- *Kateley JR, Insalaco R, Codere S, et al. 1982. Host defense systems in cattle exposed to polybrominated biphenyl. *Am J Vet Res* 43(7):1288-1295.
- Kato Y, Yumoto S, Nagano Y, et al. 2000. 3-Methylsulfonyl-2,2',4',5-tetrabromobiphenyl, a metabolite of 2,2',4',5-tetrabromodiphenyl induces CYP2B1/2 in rats. *Organohalogen Compounds* 49:209-212.
- *Kavanagh TJ, Rubinstein C, Liu PL, et al. 1985. Failure to induce mutations in Chinese hamster V79 cells and WB rat liver cells by polybrominated biphenyls, Firemaster BP-6, 2,2',4,4',5,5'-hexabromobiphenyl, 3,3',4,4',5,5'-hexabromobiphenyl, and 3,3',4,4'-tetrabromobiphenyl. *Toxicol Appl Pharmacol* 79:91-98.
- Kawakami I, Sase E, Yagi Y, et al. 2000. Dioxin-like compounds from an incineration plant of normal municipal solid waste. *Organohalogen Compounds* 46:197-200.
- *Kawasaki M. 1980. Experiences with the test scheme under the chemical control law of Japan: An approach to structure-activity correlations. *Ecotoxicol Environ Saf* 4:444-454.
- *Kay K. 1977. Polybrominated biphenyls (PBB) environmental contamination in Michigan, 1973-1976. *Environ Res* 13:74-93.
- Kholkute SD, Rodriguez J, Dukelow WR. 1994. The effects of polybrominated biphenyls and perchlorinated terphenyls on in vitro fertilization in the mouse. *Arch Environ Contam Toxicol* 26(2):208-211.

9. REFERENCES

- *Kierkegaard A, Balk L, Tiarnlund U, et al. 1999. Dietary uptake and biological effects on decabromodiphenyl ether in rainbow trout (*Oncorhynchus mykiss*). *Environ Sci Technol* 33:1612-1617.
- *Kimbrough R, Buckley J, Fishbein L, et al. 1978a. Animal toxicology. *Environ Health Perspect* 24:173-184.
- *Kimbrough RD. 1987. Human health effects of polychlorinated biphenyls (PCBs) and polybrominated biphenyls (PBBs). *Annu Rev Pharmacol Toxicol* 27:87-111.
- *Kimbrough RD, Burse VW, Liddle JA. 1978b. Persistent liver lesions in rats after a single oral dose of polybrominated biphenyls (FireMaster FF-1) and contaminant PBB tissue levels. *Environ Health Perspect* 23:265-273.
- *Kimbrough RD, Groce DF, Korver MP, et al. 1981. Induction of liver tumors in female Sherman strain rats by polybrominated biphenyls. *J Natl Cancer Inst* 66(3):535-542.
- *Kimbrough RD, Korver MP, Burse VW, et al. 1980. The effect of different diets or mineral oil on liver pathology and polybrominated biphenyl concentration in tissues. *Toxicol Appl Pharmacol* 52:442-453.
- Kitchin KT, Brown JL. 1994. Dose-response relationship for rat liver DNA damage caused by 49 rodent carcinogens. *Toxicology* 88:31-49.
- Kitchin KT, Brown JL, Kulkarni AP, et al. 1993. Predicting rodent carcinogenicity of halogenated hydrocarbons by in vivo biochemical parameters. *Teratog Carcinog Mutagen* 13(4):167-184.
- *Klasson-Wehler EK, Hovander L, Bergman A. 1997. New organohalogen in human plasma-Identification and quantification. *Organohalogen Compounds* 33:420-425.
- *Kluwe WM, Hook JB. 1978. Polybrominated biphenyl-induced potentiation of chloroform toxicity. *Toxicol Appl Pharmacol* 45:861-869.
- *Kluwe WM, Herrmann CL, Hook JB. 1979. Effects of dietary polychlorinated biphenyls and polybrominated biphenyls on the renal and hepatic toxicities of several chlorinated hydrocarbon solvents in mice. *J Toxicol Environ Health* 5:605-615.
- *Kluwe WM, Hook JB, Bernstein J. 1982. Synergistic toxicity of carbon tetrachloride and several aromatic organohalide compounds. *Toxicology* 23:321-336.
- *Kluwe WM, McCormack KM, Hook JB. 1978. Potentiating of hepatic and renal toxicity of various compounds by prior exposure to polybrominated biphenyls. *Environ Health Perspect* 23:241-246.
- Kluwe WM, McNish R, Smithson K, et al. 1981. Depletion by 1,2-dibromoethane, 1,2-dibromo-3-chloropropane, tris(2,3-dibromopropyl)phosphate, and hexachloro-1,3-butadiene of reduced nonprotein sulfhydryl groups in target and nontarget organs. *Biochem Pharmacol* 30:2265-2271.
- *Kociba RJ, Frauson LO, Humiston CG, et al. 1975. Results of a two-year dietary feeding study with decabromodiphenyl oxide (DBDPO) in rats. *J Combust Toxicol* 2(4):267-285.
- Kodavanti PRS, Ward TR, Derr-Yellin EC, et al. 1998. Congener-specific distribution of polychlorinated biphenyls in brain regions, blood, liver, and fat of adult rats following repeated exposure to Aroclor 1254. *Toxicol Appl Pharmacol* 153:199-210.

9. REFERENCES

- *Kohli J, Safe S. 1976. The metabolism of brominated aromatic compounds. *Chemosphere* 6(6):433-437.
- *Kohli J, Wyndham C, Smylie M, et al. 1978. Metabolism of bromobiphenyls. *Biochem Pharmacol* 27:1245-1249.
- *Komori M, Nishio K, Kitada M, et al. 1990. Fetus-specific expression of a form of cytochrome P-450 in human livers. *Biochemistry* 29:4430-4433.
- *Kong HL, Sayler GS. 1983. Degradation and total mineralization of monohalogenated biphenyls in natural sediment and mixed bacterial culture. *Appl Environ Microbiol* 46(3):666-672.
- *Kong HL, Sayler GS. 1984. Microbial degradation and mineralization of brominated biphenyls and brominated benzoates. In: *Proceedings of the 84th American Society for Microbiology Annual Meeting*, St. Louis, MO, March 4-9 [Abstract Q76]. American Society for Microbiology, Washington, DC, 217.
- Koss G, Weider T, Seubert S, et al. 1994. 2,2',4,4',5,5'-Hexabromobiphenyl: Its toxicokinetics, biotransformation and porphyrinogenic action in rats. *Food Chem Toxicol* 32(7):605-610.
- Koster P, Debets FMH, Strik JJTWA. 1980. Porphyrinogenic action of fire retardants. *Bull Environ Contam Toxicol* 25(2):313-315.
- *Kotake AN, Schoeller DA, Lambert GH, et al. 1982. The caffeine CO₂ breath test: Dose response and route of N-demethylation in smokers and nonsmokers. *Clin Pharmacol Ther* 32:261-269.
- *Kraus AL, Bernstein IA. 1986. Influence of adipocyte triglyceride on the partition of 2,2',4,4',5,5'-hexabromobiphenyl between 3T2L1 adipocytes and surrounding pseudoblood. *J Toxicol Environ Health* 19:541-554.
- *Kreiss K, Roberts C, Humphrey HEB. 1982. Serial PBB levels, PCB levels, and clinical chemistries in Michigan's PBB cohort. *Arch Environ Health* 37(3):141-146.
- Krishnan K, Andersen ME. 1994. Physiologically based pharmacokinetic modeling in toxicology. In: Hayes AW, ed. *Principles and methods of toxicology*. 3rd ed. New York, NY: Raven Press, Ltd., 149-188.
- *Krishnan K, Andersen ME, Clewell HJ III, et al. 1994. Physiologically based pharmacokinetic modeling of chemical mixtures. In: Yang RSH, ed. *Toxicology of chemical mixtures: Case studies, mechanisms, and novel approaches*. San Diego, CA: Academic Press, 399-437.
- Kristofferson A, Voie AOA, Funnum F. 2002. Ortho-substituted polybrominated biphenyls activate respiratory burst in granulocytes from humans. *Toxicol Lett* 24(1-2):161-166.
- *Ku PK, Hogberg MG, Trapp AL, et al. 1978. Polybrominated biphenyl (PBB) in the growing pig diet. *Environ Health Perspect* 23:13-18.
- *Kubiczak GA, Oesch F, Borlakoglu JT, et al. 1989. A unique approach to the synthesis of 2,3,4,5-substituted polybrominated biphenyls: Quantitation in FireMaster FF-1 and FireMaster BP-6. *J Agric Food Chem* 37:1160-1164.

9. REFERENCES

- *Kuehl DW, Haebler R. 1995. Organochlorine, organobromine, metal and selenium residues in bottlenose dolphins (*Tursiops truncatus*) collected during an unusual mortality event in the Gulf of Mexico. *Arch Environ Contam Toxicol* 28(4):494-499.
- *Kuehl DW, Haebler R, Potter C. 1991. Chemical residues in dolphins from the U.S. Atlantic coast including Atlantic bottlenose obtained during the 1987/88 mass mortality. *Chemosphere* 22(11):1071-1984.
- *Kuo C-H, Hook JB. 1982. Effects of drug-metabolizing enzyme inducers on cephaloridine toxicity in Fischer 344 rats. *Toxicology* 24:293-303.
- *Kuosmanen K, Hyotylainen T, Hartonen K, et al. 2002. Pressurized hot water extraction coupled on-line with liquid chromatography-gas chromatography for the determination of brominated flame retardants in sediment samples. *J Chromatogr A* 943(1):113-122.
- La Guardia MJ, Hale RC, Harvey E, et al. 2000. Endocrine disruptors (octylphenol, nonylphenol, nonyl phenol ethoxylates and polybrominated diphenyl ethers) in land applied sewage sludge biosolids. In: Preprints of extended abstracts. American Chemical Society, Division of Environmental Chemistry. 220th ACS National Meeting, Washington, DC. Vol 40(2):97-99.
- *LaKind JS, Berlin CM. 2000. PBDEs in breast milk: where do we go from here? *Organohalogen Compounds* 47:241-244.
- Lambert GH, Hsu CC, Humphrey H. 1992a. Cytochrome P450IA2 in vivo induction: a potential biomarker of polyhalogenated biphenyls and their related chemical's effects on the human. *Chemosphere* 25(1-2):197-200.
- *Lambert GH, Schoeller DA, Hsu CC, et al. 1992b. Cytochrome P450IA2 activity in humans exposed to PCBs and dioxins. *Organohalogen Compounds* 10:32-35.
- *Lambert GH, Schoeller DA, Humphrey HEB, et al. 1990. The caffeine breath test and caffeine urinary metabolite ratios in the Michigan cohort exposed to polybrominated biphenyls: A preliminary study. *Environ Health Perspect* 89:175-181.
- *Lambrecht LK, Barsotti DA, Allen JR. 1978. Response of nonhuman primates to a polybrominated biphenyl mixture. *Environ Health Perspect* 23:139-145.
- Lamesh RA. 1992. Polychlorinated biphenyls: An overview of metabolic toxicologic and health consequences. *Vet Hum Toxicol* 34:256-260.
- *Landrigan PJ, Wilcox KR, Silva J. 1979. Cohort study of Michigan residents exposed to polybrominated biphenyls: Epidemiologic and immunologic findings. *Ann NY Acad Sci* 320:284-294.
- Lans MC, Spiertz C, Brouwer A, et al. 1994. Different competition of thyroxine binding to transthyretin and thyroxine-binding globulin by hydroxy-PCBs, PCDDs and PCDFs. *Eur J Pharmacol* 270:129-136.
- Law RJ, Allchin CR. 2001. Brominated flame retardants in the UK environment. *BFR*:139-141.
- *Law RJ, Allchin CR, Bennett ME, et al. 2000. Polybrominated diphenyl ethers in the blubber of harbour porpoises (*Phocoena phocoena* L.) stranded on the coasts of England and Wales. *Organohalogen Compounds* 47:249-252.

9. REFERENCES

- LeBoeuf RA, Kerchaert GA, Aardema MJ, et al. 1996. The pH 6.7 Syrian hamster embryo cell transformation assay for assessing the carcinogenic potential of chemicals. *Mutat Res* 356:85-127.
- *Lee KP, Hebert RR, Sherman H, et al. 1975a. Bromine tissue residue and hepatotoxic effects of octabromobiphenyl in rats. *Toxicol Appl Pharmacol* 34:115-127.
- *Lee KP, Hebert RR, Sherman H, et al. 1975b. Octabromobiphenyl-induced ultrastructural changes in rat liver. *Arch Environ Health* 30:465-471.
- *Leeder JS, Kearns GL. 1997. Pharmacogenetics in pediatrics: Implications for practice. *Pediatr Clin North Am* 44(1):55-77.
- *Lemesh KA. 1992. Polychlorinated biphenyls: An overview of metabolic toxicologic and health consequences. *Vet Hum Toxicol* 34:256-268.
- *Lenior D, Zier B, Bieniek D, et al. 1994. The influence of water and metals on PBDD/F concentration in incineration of decabromobiphenyl ether in polymeric matrices. *Chemosphere* 28(11):1921-1928.
- Leonards PEG, Santillp D, Bridgen K, et al. 2001. Brominated flame retardants in office dust samples. *BFR*:299-302.
- Leung H-W. 1991. Development and utilization of physiologically based pharmacokinetic models for toxicological applications. *J Toxicol Environ Health* 32:247-267.
- *Leung H-W. 1993. Physiologically-based pharmacokinetic modeling. In: Ballentine B, Marro T, Turner P, eds. *General and applied toxicology*. Vol. 1. New York, NY: Stockton Press, 153-164.
- *Lewis RG, Sovocool GW. 1982. Identification of polybrominated biphenyls in the adipose tissues of the general population of the United States. *J Anal Toxicol* 6:196-198.
- *Life Sciences Research Israel LTD. 1987. FR-1208: Teratology study in the rat. Submitted to U.S. EPA under TSCA Section 4/8, Fiche no. OTS0513908.
- Lind Y, Atuma S, Aune M, et al. 2001. Polybrominated diphenyl ethers (PBDEs) in breast milk from Uppsala woman- extension and up-dating of data. *BFR*:117-120.
- *Lindstroem G, Hardell L, Van Bavel B, et al. 1998. Current level of 2,2',4,4'-tetrabrominated diphenyl ether in human adipose tissue in Sweden. A risk factor for non-Hodgkin's lymphoma? *Organohalogen Compounds* 35:431-434.
- *Lindstrom GUM. 1999. Aspects of polybrominated diphenyl ethers as indoor, occupational, and environmental pollutants. *Organohalogen Compounds* 43:445-446.
- Lindstrom G, Van Bavel B, Hardell L, et al. 1997. Identification of the flame retardants polybrominated diphenyl ethers in adipose tissue from patients with non-Hodgkin's lymphoma in Sweden. *Oncol Rep* 4:999-1000.
- *Lindstrom G, Wingfors H, Dam M, et al. 1999. Identification of 19 polybrominated diphenyl ethers (PBDEs) in long-finned pilot whale (*Globicephala melas*) from the Atlantic. *Arch Environ Contam Toxicol* 36(3):355-363.

9. REFERENCES

- *Livingston AL. 1978. Forage plant estrogens. *J Toxicol Environ Health* 4:301-324.
- *Loganathan BG, Kannn K, Watanabe, et al. 1995. Isomer-specific determination and toxic evaluation of polychlorinated biphenyls, polychlorinated/brominated dibenzo-p-dioxins and dibenzofurans, polybrominated biphenyl ethers, and extractable organic halogen in carp from the Buffalo River, New York. *Environ Sci Technol* 29(7):1832-1838.
- *Loose LD, Mudzinski SP, Silkworth JB. 1981. Influence of dietary polybrominated biphenyl on antibody and host defense responses in mice. *Toxicol Appl Pharmacol* 59:25-39.
- Lopes TJ, Furlong T, Edward T. 2001. Occurrence and potential adverse effects of semivolatile organic compounds in streambed sediment, United States, 1992-1995. *Environ Toxicol Chem* 20(4):727-737.
- *Luckey F, Fowler B, Litten S. 2001. Establishing baseline levels of polybrominated diphenyl ethers in Lake Ontario surface waters. *BFR*:337-339.
- *Luijk R, Govers HAJ. 1992. The formation of polybrominated dibenzo-p-dioxins (PBDDs) and dibenzofurans (PBDFs) during pyrolysis of polymer blends containing brominated flame retardants. *Chemosphere* 25(3):361-374.
- Luross JM, Alae M, Cannon CM, et al. 2001. Spatial and temporal distribution of polybrominated diphenyl ethers and polybrominated biphenyls in lake trout from the Great Lakes. *BFR*:401-404.
- *Luross JM, Aalee M, Sergeant DB, et al. 2000. Spatial and temporal distribution of polybrominated diphenyl ethers in lake trout from the great lakes. *Organohalogen Compounds* 47:73-76.
- *Luster MI, Boorman GA, Harris MW, et al. 1980. Laboratory studies on polybrominated biphenyl-induced immune alterations following low-level chronic or pre/postnatal exposure. *Int J Immunopharmacol* 2:69-80.
- *Luster MI, Faith RE, Moore JA. 1978. Effects of polybrominated biphenyls (PBB) on immune response in rodents. *Environ Health Perspect* 23:227-232.
- Lutes CC, Charles MJ, Odum JR, et al. 1992. Chamber aging studies on the atmospheric stability of polybrominated dibenzo-p-dioxins and dibenzofurans. *Environ Sci Technol* 26(5):991-998.
- *Lyman WJ, Reehl WF, Rosenblatt, DH. 1990. Handbook of chemical properties estimation methods. American Chemical Society: Washington, DC, 4-9, 15-1 to 15-29.
- Mackay D. 1982. Correlation of bioconcentration factors. *Environ Sci Technol* 16:274-278.
- Madra S, Smith AG. 1992. Induction of cytochrome F450 activities by polychlorinated biphenyls in isolated mouse hepatocytes. Influence of Ah-phenotype and iron. *Biochem Pharmacol* 44(3):455-464.
- Mamantov A. 1985. The photolysis of polychlorinated diphenyl ethers and chloroanisoles may proceed via carbenes. *Chemosphere* 14(6/7):905-908.
- Manchester-Neesvig JB, Valters K, Sonzogni WC. 2001. Comparison of polybrominated diphenyl ethers (PBDEs) and polychlorinated biphenyls (PCBS) in Lake Michigan salmonids. *Environ Sci Technol* 35(6):1072-1077.

9. REFERENCES

- *Marsh G, Bergman A, Bladh L-G, et al. 1998. Synthesis of p-hydroxybromodiphenyl ethers and binding to the thyroid receptor. *Organohalogen Compounds* 37:305-308.
- Marsh G, Hu J, Jakobsson E, et al. 1999. Synthesis and characterization of 21-polybrominated diphenyl ethers. *Environ Sci Technol* 33(17):3033-3037.
- MARSSIM. 1997. Multi-agency radiation survey and site investigation manual. Nuclear Regulatory Commission, Energy Department, Environmental Protection Agency, and Defense Department. 660p. NUREG 1575, EPA 402 R 97 016.
- *Martino LJ, Wilson-Martino NA, Benitz KF. 1981. The presence of intranuclear lipid inclusions in hepatocytes of mice after chronic ingestion of polybrominated biphenyl. *Arch Toxicol* 47:155-158.
- Matthews EJ, Spalding JW, Tennant RW. 1993. Transformation of BALB/c-3T3 cells: V. Transformation responses of 168 chemicals compared with mutagenicity in salmonella and carcinogenicity in rodent bioassays. *Environ Health Perspect Suppl* 101:347-482.
- *Matthews HB, Kato S, Morales NM, et al. 1977a. Distribution and excretion of 2,4,5,2',4',5'-hexabromobiphenyl, the major component of Firemaster BP-6. *J Toxicol Environ Health* 3:599-605.
- Mathews HB, Tuey DB, Anderson MW. 1977b. Pharmacokinetic models for lipiphilic compounds. *Environ Health Perspect* 20:257-262.
- *Mayr U, Butsch A, Schneider S. 1992. Validation of two in vitro test systems for estrogenic activities with zearalenone, phytoestrogens and cereal extracts. *Toxicology* 74:135-149.
- *McConnell EE, Harris MW, Moore JA. 1980. Studies on the use of activated charcoal and cholestyramine for reducing the body burden of polybrominated biphenyls. *Drug Chem Toxicol* 3:277-292.
- *McCormack KM, Hook JB. 1982. Effects of lactation and nursing on tissue concentrations of polybrominated biphenyls and on microsomal enzyme activity in mammary gland and liver in maternal rats. *Environ Res* 27:110-117.
- McCormack KM, Arneric SP, Hook JB. 1979. Action of exogenously administered steroid hormones following perinatal exposure to polybrominated biphenyls. *J Toxicol Environ Health* 5:1085-1094.
- *McCormack KM, Kluwe WM, Rickert DE, et al. 1978. Renal and hepatic microsomal enzyme stimulation and renal function following three months of dietary exposure to polybrominated biphenyls. *Toxicol Appl Pharmacol* 44:539-553.
- *McCormack KM, Lepper LF, Wilson DM, et al. 1981. Biochemical and physiological sequelae to perinatal exposure to polybrominated biphenyls: A multigeneration study in rats. *Toxicol Appl Pharmacol* 59:300-313.
- McCormack KM, Roth RA, Wallace KB, et al. 1982a. Nonrespiratory metabolic function and morphology of lung following exposure to polybrominated biphenyls in rats. *J Toxicol Environ Health* 9:27-39.

9. REFERENCES

- *McCormack KM, Stickney JL, Bonhaus DW, et al. 1982b. Cardiac and hepatic effects of pre-and postnatal exposure to polybrominated biphenyls in rats. *J Toxicol Environ Health* 9:13-26.
- *McDonald TA. 2002. A perspective on the potential health risks of PBDEs. *Chemosphere* 46(5):745-755.
- McGregor DB, Brown A, Cattanaach P, et al. 1988. Responses of the L5178Y tk+/tk- mouse lymphoma cell forward mutation assay: III. 72 coded chemicals. *Environ Mol Mutagen* 12(1):85-154.
- *MDCH. 2002. <http://www.michigan.gov.mdch>. May 30, 2002.
- Meerts I, Lujiks E, Marsh G, et al. 1988. Polybrominated diphenylethers (PBDEs) as Ah-receptor agonists and antagonists. *Organohalogen Compounds* 37:147-150.
- *Meerts I, Marsh G, van Leeuwen-Bol I, et al. 1998. Interaction of polybrominated diphenyl ether metabolites (PBDE-OH) with human transthyretin *in vitro*. *Organohalogen Compounds* 37:309-312.
- *Meerts IA, Letcher RJ, Hoving S, et al. 2001. In vitro estrogenicity of polybrominated diphenyl ethers, hydroxlated PDBEs and polybrominated bisphenol A compounds. *Environ Health Perspect* 109(4):399-407.
- Meerts IA, van Zanden JJ, Luijks EA, et al. 2000. Potent competitive interactions of some brominated flame retardants and related compounds with human transthyretin in vitro. *Toxicol Sci* 56(1):95-104.
- Meironyte Guvenius DM, Bergman A, Noren K. 1998. Analysis of polybrominated diphenyl ethers in human milk. *Organohalogen Compounds* 35:387-390.
- *Meironyte Guvenius DM, Bergman A, Noren K. 2001. Polybrominated diphenyl ethers in Swedish human liver and adipose tissue. *Arch Environ Contam Toxicol* 40:564-570.
- *Meironyte Guvenius DM, Noren K, Bergman A. 1999a. Analysis of polybrominated diphenyl ethers in Swedish human milk. A time related trend study, 1972-1997. *J Toxicol Environ Health A* 58(6):329-341.
- *Meironyte Guvenius DM, Noren K, Bergman A. 1999b. Analysis of polybrominated diphenyl ethers in Swedish human milk. A time-released trend study, 1972-1997. *J Toxicol Environ Health A* 58(6):1528-7394.
- *Meironyte-Guvenius DM, Noren K. 1999c. Polybrominated diphenyl ethers in human liver and adipose tissues. A pilot study. *Organohalogen Compounds* 40:372-382.
- *Meneses M, Wingfors H, Schuhmacher M, et al. 1999. Polybrominated diphenyl ethers detected in human adipose tissue from Spain. *Chemosphere* 39(13):2271-2278.
- Menear JH, Lee C-C. 1994. Polybrominated dibenzo-p-dioxins and dibenzofurans: literature review and health assessment. *Environ Health Perspect Suppl* 102:265-274.
- *Mercer HD, Teske RJ, Condon A, et al. 1976. Herd health status of animals exposed to polybrominated biphenyls (PBB). *J Toxicol Environ Health* 2:335-349.

9. REFERENCES

- Merrill JC, Beck DJ, Kaminski DA, et al. 1995. Polybrominated biphenyl of cytochrome P450 mixed function oxidase activity in primary rat and human hepatocytes. *Toxicology* 33:147-153.
- *Meserve LA, Murray BA, Landis JA. 1992. Influence of maternal ingestion of aroclor 1254 (PCB) or FireMaster BP-6 (PBB) on unstimulated and stimulated corticosterone levels in young rats. *Bull Environ Contam Toxicol* 48(5):712-720.
- *Meylan WM, Howard PH. 1991. Bond contribution methods for estimating Henry's Law Constants. *Environ Toxicol Chem* 10:1283-1293.
- *Miceli JN, Marks BH. 1981. Tissue distribution and elimination kinetics of polybrominated biphenyls (PBB) from rat tissue. *Toxicol Lett* 9:315-320.
- *Miceli JN, Nolan DC, Marks B, et al. 1985. Persistence of polybrominated biphenyls (PBB) in human post-mortem tissue. *Environ Health Perspect* 60:399-403.
- *Michels Blanck HM, Marcus M, Hertzberg V, et al. 2000a. Determinants of polybrominated biphenyl serum decay among women in the Michigan PBB cohort. *Environ Health Perspect* 108(2):147-152.
- *Michels Blanck H, Marcus M, Rubin C, et al. 2000b. Growth in girls exposed perinatally to polybrominated biphenyls and polychlorinated biphenyls. *Am J Epidemiol* 151(11):S23.
- Michels Blanck H, Marcus M, Tolbert PE, et al. 1999. Age at menarche in girls exposed perinatally to polybrominated biphenyl. *Am J Epidemiol* 149:S21.
- *Microbiological Associates Inc. 1996. Pentabromodiphenyloxy and octabromodiphenyl oxide. Maximization test in Guinea Pigs. Submitted to U.S. EPA under TSCA Section FYI, Fiche no. OTS0001281.
- *Millis CD, Mills RA, Sleight SD, et al. 1985. Toxicity of 3,4,5,3',4', 5'-hexabrominated biphenyl and 3,4,3',4'-tetrabrominated biphenyl. *Toxicol Appl Pharmacol* 78:88-95.
- *Millischer R, Girault F, Heywood R, et al. 1980. Decabromobiphenyl: Toxicologic study. *Toxicol Eur Res* 2:155-161.
- Mills RA, Millis CD, Dannan GA, et al. 1985. Studies on the structure-activity relationships for the metabolism of polybrominated biphenyls by rat liver microsomes. *Toxicol Appl Pharmacol* 78:96-104.
- *Mirsalis JC, Tyson CK, Loh EN, et al. 1985. Induction of hepatic cell proliferation and unscheduled DNA synthesis in mouse hepatocytes following in vivo treatment. *Carcinogenesis* 6:1521-1524.
- *Mirsalis JC, Tyson CK, Steinmetz KL, et al. 1989. Measurement of unscheduled DNA synthesis and s-phase synthesis in rodent hepatocytes following in vivo treatment: Testing of 24 compounds. *Environ Mol Mutagen* 14:155-164.
- Moisey J, Simon M, Wakeford B, et al. 2001. Spatial and temporal trends of polybrominated diphenyl ethers detected in Great Lakes Herring Gulls, 1981 to 2000. *BFR*:153-157.
- *Moore RW, Dannan GA, Aust SD. 1978. Induction of drug metabolizing enzymes in polybrominated biphenyl-fed lactating rats and their pups. *Environ Health Perspect* 23:159-165.

9. REFERENCES

- *Moore RW, Sleight SD, Aust SD. 1979. Effects of 2,2'-dibromobiphenyl and 2,2',3,4,4',5,5'-heptabromobiphenyl on liver microsomal drug metabolizing enzymes. *Toxicol Appl Pharmacol* 48:73-86.
- *Moorhead PD, Willett LB, Brumm CJ, et al. 1977. Pathology of experimentally induced polybrominated biphenyl toxicosis in pregnant heifers. *J Am Vet Med Assoc* 170:307-313.
- Morck A, Klasson Wehler E. 2001. Metabolism of decabromodiphenyl ether (BDE-209) in the rat. *Organohalogen Compounds* 52:9-12.
- *Morreale de Escobar G, Obregon MJ, Escobar del Rey F. 2000. Is neuropsychological development related to maternal hypothyroidism or to maternal hypothyroxinemia? *J Clin Endocrinol Metab* 85(11):3975-3987.
- *Morris PJ, Quensen JF, Tiedje JM, et al. 1992. Reproductive debromination of the commercial polybrominated biphenyl mixture Firemaster BP6 by anaerobic microorganisms from sediments. *Appl Environ Microbiol* 58(10):3249-3256.
- *Morris PJ, Quensen JF III, Tiedje JM, et al. 1993. An assessment of the reduction debromination of polybrominated biphenyls in the Pine River Reservoir. *Environ Sci Technol* 27(8):1580-1586.
- *Morselli PL, Franco-Morselli R, Bossi L. 1980. Clinical pharmacokinetics in newborns and infants: Age-related differences and therapeutic implications. *Clin Pharmacokin* 5:485-527.
- *Mulligan KJ, Caruso JA. 1980. Determination of polybrominated biphenyl and related compounds by gas - liquid chromatography with a plasma emission detector. *Analyst* 105:1060-1067.
- *Murata T, Zabik ME, Zabik MY. 1977. Polybrominated biphenyls in raw milk and processed dairy products. *J Dairy Sci* 60(4):516-520.
- Myhr B, McGregor D, Bowers L, et al. 1990. L5178Y Mouse lymphoma cell mutation assay results with 41 compounds. *Environ Mol Mutagen* 16:138-167.
- *Myhr BC, Caspary WJ. 1991. Chemical mutagenesis at the thymidine kinase locus in L5178Y mouse lymphoma cells: Results for 31 coded compounds in the National Toxicology Program. *Environ Mol Mutagen* 18:51-83.
- Nagayama J, Takasuga T, Tsuji H. 2001. Contamination levels of brominated flame retardants, dioxins and organochlorine compounds in the blood of Japanese adults. *BFR*:113-116.
- *NAS/NRC. 1989. Report of the oversight committee. In: *Biologic markers in reproductive toxicology*. Washington, DC: National Academy of Sciences, National Research Council, National Academy Press.
- NATICH. 1988. NATICH data base report on state, local and EPA air toxics activities. Research Triangle Park, NC: National Air Toxics Information Clearinghouse, U.S. Environmental Protection Agency.
- *National Safety Council. 1999. Baseline report: Recycling of selected electronic products in the United States. Washington, DC: National Safety Council 1-47.

9. REFERENCES

- *Needham LL, Hill RH, Orti DL, et al. 1982. Investigation of hyperkeratotic activity of polybrominated biphenyls in Firemaster FF-1. *J Toxicol Environ Health* 9:877-887.
- Nemec M, Holsen J, Naas D, et al. 1992. The developmental toxicity of FM-100 in the rat and rabbit following repeated exposure by inhalation. *Teratology* 45(5):475-476.
- *Neufeld ML, Sittenfield M, Wolk KF. 1977. Market input/output studies: Task IV. Polybrominated biphenyls. Washington, DC. EPA-560/6-77-017.
- *Noren K, Meironyte D. 1998. Contaminants in Swedish human milk. Decreasing levels of organochlorine and increasing levels of organochlorine compounds. *Organohalogen Compounds* 38:1-4.
- *Noren K, Meironyte D. 2000. Certain organochlorine and organobromine contaminants in Swedish human milk in perspective of past 20-30 years. *Chemosphere* 40:1111-1123.
- NIES/EPA. 2002. Superfund Basic Research Program. Current research programs. <http://benson.niehs.nih/sbrp/Program2000/program00.cfm>.
- *Norris JM, Ehrmantraut JW, Gibbons CL, et al. 1973. Toxicological and environmental factors involved in the selection of decabromodiphenyl oxide as a fire retardant chemical. *Appl Polym Symp* 22:195-219.
- *Norris JM, Ehrmantraut JW, Kociba RJ, et al. 1975a. Evaluation of decabromodiphenyl oxide as a flame-retardant chemical. *Chem Hum Health Environ* 1:100-116.
- *Norris JM, Kociba RJ, Humiston CG, et al. 1975b. The toxicity of decabromo diphenyl and octabromo biphenyl as determined by subacute and chronic dietary feeding studies in rats. *Toxicol Appl Pharmacol* 33:170.
- *Norris JM, Kociba RJ, Schwetz BA, et al. 1975c. Toxicology of octabromobiphenyl and decabromodiphenyl oxide. *Environ Health Perspect* 11:153-161.
- *NRC. 1993. National Research Council. Pesticides in the diets of infants and children. Washington, DC: National Academy Press.
- NRC. 2000. Decabromodiphenyl oxide. In: Toxicological risks of selected flame-retardant chemicals. National Research Council (US): Subcommittee on Flame-Retardant Chemicals. Washington, DC: National Academy Press, 72-98.
- *NTP. 1983. NTP technical report on the toxicology and carcinogenesis studies of a polybrominated biphenyl mixture (Firemaster FF-1) (CAS NO. 67774-32-7) in F344/N rats and B6C3F1 mice (gavage studies): Research Triangle Park, NC: National Toxicology Program.
- *NTP. 1986. NTP technical report on the toxicology and carcinogenesis studies of decabromodiphenyl oxide (CAS NO. 1163-19-5) in F344/N rats and B6C3F1 mice (feed studies): Research Triangle Park, NC: National Toxicology Program.
- *NTP. 1992. NTP technical report on the perinatal toxicology and carcinogenesis studies of polybrominated biphenyls (Firemaster FF-1) (CAS NO. 67774-32-7) in F344/N rats and B6C3F1 mice (feed studies): Research Triangle Park, NC: National Toxicology Program.

9. REFERENCES

- *NTP. 2002. Names and synonyms of carcinogens. National Toxicology Program. http://ntp-server.niehs.nih.gov/htdocs/8_RoC/RAHC_list.html. April 18, 2002.
- *Nylund K, Asplund L, Jansson B, et al. 1992. Analysis of some polyhalogenated organic pollutants in sediment and sewage sludge. *Chemosphere* 24(12):1721-1730.
- *Oberg T, Warman K, Bergstrom J. 1987. Brominated aromatics from combustion. *Chemosphere* 16(10-12):2451-2465.
- O'Connor JC, Frame SR, Davis LG, et al. 1999. Detection of thyroid toxicants in a tier 1 screening battery and alterations in thyroid endpoints over 28 days of exposure. *Toxicol Sci* 51:54-70.
- *Ohta S, Ishizuka D, Nishimura H, et al. 2000. Real situation of contamination by polybrominated diphenyl ethers as flame retardants in market fish and mother milk of Japan. *Organohalogen Compounds* 47:218-221.
- *Ohta S, Ishizuka D, Nishimura H, et al. 2002. Comparison of polybrominated diphenyl ethers in fish, vegetables, and meats and levels in human milk of nursing women in Japan. *Chemosphere* 46(5):689-696.
- *O'Keefe PW. 1978. Formation of brominated dibenzofurans from pyrolysis of the polybrominated biphenyl fire retardant, Firemaster FF-1. *Environ Health Perspect* 23:347-350.
- *Okey AB, Vella LM, Harper PA. 1989. Detection and characterization of a low affinity form of cytosolic Ah receptor in livers of mice nonresponsive to induction of cytochrome P1-450 by 3-methylcholanthrene. *Mol Pharmacol* 35:823-830.
- *Olsson A, Vitnisk M, Plikshs M, et al. 1999. Halogenated environmental contaminants in perch (*Perca fluviatilis*) from Latvian coastal areas. *Sci Total Environ* 239(1-3):19-30.
- Olsson M, Karlsson B, Ahnland E. 1994. Diseases and environmental contaminants in seals from the Baltic and the Swedish west coast. *Sci Total Environ* 154:217-227.
- *Opperhuizen A, Velde EW, Gobas FAPC, et al. 1985. Relationship between bioconcentration in fish and steric factors of hydrophobic chemicals. *Chemosphere* 14(11/12):1871-1896.
- *Orn U, Klasson-Wehler E. 1998. Metabolism of 2,2',4,4'-tetrabromodiphenyl ether in rat and mouse. *Xenobiotica* 1998:199-211.
- *Orti DL, Hill RH, Patterson DG, et al. 1983. Structure elucidation of some minor components of the polybromobiphenyl mixture, Firemaster. *Arch Environ Contam Toxicol* 12:603-614.
- Ott MG, Zober A. 1996. Morbidity study of extruder personnel with potential exposure to brominated dioxins and furans. II. Results of clinical laboratory studies. *Occup Environ Med* 53(12):844-846.
- *Owen GM, Brozek J. 1966. Influence of age, sex and nutrition on body composition during childhood and adolescence. In: Falkner F, ed. *Human development*. Philadelphia, PA: WB Saunders, 222-238.
- *Pardini AT, Jones CS, Noble, et al. 2001. Persistent pollutants in land-sludges. *Nature* 412:140-141.

9. REFERENCES

- *Parkinson A, safe SH, Robertson LW, et al. 1983. Immunochemical quantitation of cytochrome P-450 isozymes and epoxide hydrolase in liver microsomes from polychlorinated or polybrominated biphenyl-treated rats. *J Biol Chem* 258(9):5967-5976.
- *Patterson DG, Sjodin A, Bergman A. 2000. Brominated flame retardants in serum from US blood donors. *Organohalogen Compounds* 47:45-48.
- Pazdernik TL, Rozman KK. 1985. Effect of thyroidectomy and thyroxine on 2,3,7,8-tetra-chlorodibenzo-*p*-dioxin-induced immunotoxicity. *Life Sci* 36:695-703.
- Pelota J, Yla-Mononen L. 2001. The commercial pentabromodiphenyl ether as a global POP. *BFR*:33-36.
- *Peters AJ, Coleman P, Jones KC. 1999. Organochlorine pesticides in UK air. *Organohalogen Compounds* 41:447-450.
- *Pettigrew A. 1993. Flame retardants (halogenated). 10:960-976.
- *Pharmakon Associates Inc. 1984. Initial submission: Acute oral toxicity in rats (14 days) of Saytex 115 (Pentabromodiphenyloxide). Submitted to the U.S. EPA under TSCA Section FYI, Fiche no. OTS0000972.
- Pijenburg AM, Everts JW, de Boer J, et al. 1995. Polybrominated biphenyl and diphenylether flame retardants: analysis, toxicity, and environmental occurrence. *Rev Environ Contam Toxicol* 141:1-26.
- *Poland A, Glover E, Kende AS. 1976. Stereospecific, high affinity binding of 2,3,7,8-tetra-chlorodibenzo-*p*-dioxin by hepatic cytosol. Evidence that the binding species is receptor for induction of aryl hydrocarbon hydrolase. *J Biol Chem* 251:4936-4946.
- *Poland A, Palen D, Glover E. 1982. Tumour promotion by TCDD in skin of HRS/J hairless mice. *Nature* 300:85-87.
- *Polin D, Leavitt RA. 1984. Colestipol and energy restriction as an approach to hasten removal of PBBs from chickens. *J Toxicol Environ Health* 13:659-671.
- *Polin D, Bursian SJ, Underwood MS, et al. 1991. Elimination of PBBs in rats, effect of mineral oil and/or feed restriction. *J Toxicol Environ Health* 33:197-212.
- *Polin D, Lehning E, Pullen D, et al. 1985. Procedures to enhance withdrawal of xenobiotics from chickens. *J Toxicol Environ Health* 16:243-254.
- *Pomerantz I, Burke J, Firestone D, et al. 1978. Chemistry of PCBs and PBBs. *Environ Health Perspect* 24:133-146.
- Porterfield SP. 1994. Vulnerability of the developing brain to thyroid abnormalities: environmental insults to the thyroid system. *Environ Health Perspect Suppl* 102:125-230.
- Priest B. 2001. Brominated flame retardants: Commercially available analytical standards. *BFR*:193-194.

9. REFERENCES

- Pullen S. 2001. Immunotoxic effects of polybrominated flame retardants. *Naunyn-Schmiedeberg's Arch Pharmacol* 363(4):R141.
- *Purdy R, Safe S. 1980. The in vitro metabolism of 2,2',4,4',5,5'-hexabromobiphenyl. *J Environ Pathol Toxicol* 4:277-284.
- *Quensen JP III, Morris PJ, Boyd SA. 1990. Dehalogenation of PCBs and PBBs by anaerobic microorganisms from sediments. In: *Proceedings of the 90th American Society for Microbiology Annual Meeting*, Anaheim, CA [Abstract Q-44]. American Society for Microbiology, Washington, DC. 90:295.
- *Raber BT, Carter JW. 1986. Localization of ultrastructural alterations induced in rat liver by dietary polybromobiphenyls (Firemaster BP-6). *Arch Environ Contam Toxicol* 15:725-732.
- Rahman F, Lanford KH, Scrimshaw MD, et al. 2001. Polybrominated diphenyl ether (PBDE) flame retardants. *Sci Total Environ* 275(1-3):1-17.
- Rangga-Tabbu C, Sleight SD. 1992. Development of preneoplastic lesions in the liver and nasal epithelium of rats initiated with N-nitrosodimethylamine or N-nitrosopyrrolidine and promoted with polybrominated biphenyls. *Food Chem Toxicol* 30(11):921-926.
- *Rappe C, Buser HR. 1980. Chemical properties and analytical methods. In: Kimbrough RD ed. *Halogenated biphenyls, terphenyls, naphthalenes, dibenzodioxins and related products*. Amsterdam: Elsevier/North-Holland Biomedical Press, 41-76.
- *Render JA, Aust SD, Sleight SD. 1982. Acute pathologic effects of 3,3',4,4',5,5'-hexabromobiphenyl in rats: Comparison of its effects with Firemaster BP-6 and 2,2',4,4',5,5'-hexabromobiphenyl. *Toxicol Appl Pharmacol* 62:428-444.
- Renner R. 2000a. Increasing levels of flame retardants found in North American environment. *Environ Sci Technol* 34(21):452A-453A.
- Renner R. 2000b. What fate for brominated fire retardants? *Environ Sci Technol* 34(9):222A-226A.
- Renner R. 2001. Firesafe but not failsafe. Flame retardants cause neurotoxic effects. *Environ Health Perspect* 109(9):A434-435.
- *Rezabek MS, Sleight SD, Jensen RK. 1987. Short-term oral administration of polybrominated biphenyls enhances the development of hepatic enzyme-altered foci in initiated rats. *J Toxicol Environ Health* 20:347-356.
- *Rezabek MS, Sleight SD, Jensen RK, et al. 1989. Effects of dietary retinyl acetate on the promotion of hepatic enzyme-altered foci by polybrominated biphenyls in initiated rats. *Food Chem Toxicol* 27(8):539-544.
- *Rickert DE, Dent JG, Cagen SZ, et al. 1978. Distribution of polybrominated biphenyls after dietary exposure in pregnant and lactating rats and their offspring. *Environ Health Perspect* 23:63-66.
- Riess M, Ernst T, Popp R, et al. 2000. Analysis of flame retarded polymers and recycling materials. *Chemosphere* 40(9-11):937-941.

9. REFERENCES

- *Ringer RK, Aurelich RJ, Bleavins MR. 1981. Biological effects of PCBs and PBBs on mink and ferrets- a review. In: Khan MAQ, Stanton RD, eds. Toxicology of halogenated hydrocarbons: Health and ecological effects. New York: Pergamon Press, 329-343.
- Robertson LW, Andres JL, Safe SH, et al. 1983a. Toxicity of 3,3',4,4'- and 2,2',5,5'-tetrabromobiphenyl: correlation of activity with aryl hydrocarbon hydroxylase induction and lack of protection by antioxidants. *J Toxicol Environ Health* 11:81-91.
- *Robertson LW, Chittim B, Safe SH, et al. 1983b. Photodecomposition of a commercial polybrominated biphenyl fire retardant: High-resolution gas chromatographic analysis. *J Agric Food Chem* 31:454-457.
- Robertson LW, Parkinson A, Bandiera S, et al. 1981. Potent induction of rat liver microsomal, drug-metabolizing enzymes by 2,3,3',4,4',5-hexabromobiphenyl, a component of Firemaster. *Chem Biol Interact* 35:13-24.
- *Robertson LW, Parkinson A, Bandiera S, et al. 1984a. PCBs and PBBs: Biological and toxic effects on C57BL/6J and DBA/2J inbred mice. *Toxicology* 31:191-206.
- *Robertson LW, Parkinson A, Campbell MA, et al. 1982. Polybrominated biphenyls as aryl hydrocarbon hydroxylase inducers: Structure-activity correlations. *Chem Biol Interact* 42:53-66.
- *Robertson LW, Safe SH, Parkinson A, et al. 1984b. Synthesis and identification of highly toxic polybrominated biphenyls in the fire retardant Firemaster BP-6. *J Agric Food Chem* 32:1107-1111.
- *Robertson LW, Silberhorn EM, Glauert HP. 1991. Do structure-activity relationships for the acute toxicity of PCBs and PBBs also apply for induction of hepatocellular carcinoma? *Environ Toxicol Chem* 10:715-728.
- *Roboz J, Greaves J, Bekesi JG. 1985. Polybrominated biphenyls in model and environmentally contaminated human blood: Protein binding and immunotoxicological studies. *Environ Health Perspect* 60:107-113.
- Roboz J, Suzuki RK, Bekesi JG, et al. 1980. Mass spectrometric identification and quantification of polybrominated biphenyls in blood compartments of exposed Michigan chemical workers. *J Environ Pathol Toxicol* 3:363-378.
- Rodriguez H, Loechler EL. 1993. Mutational specificity of the (+) - anti-diol epoxide of benzo [a] pyrene in a supF gene of an Escherichia coli plasmid: DNA sequence context influences hotspots, mutagenic specificity and the extent of SOS enhancements of mutagenesis. *Carcinogenesis* 14(3):373-383.
- *Roes U, Dent JG, Netter KJ, et al. 1977. Effect of polybrominated biphenyls on bromobenzene lethality in mice. *J Toxicol Environ Health* 3:663-671.
- Rogan WJ. 1995. Environmental poisoning of children- lessons from the past. *Environ Health Perspect* 103:19-23.
- Rogan WJ. 1996. Pollutants in breast milk. *Arch Pediatr Adolesc Med* 150:981-990.
- Ronen Z, Abeliovich A. 2000. Anaerobic-aerobic process for microbial degradation of tetrabromobisphenol A. *Appl Environ Microbiol* 66(6):2372-2377.

9. REFERENCES

- *Rosen DH, Flanders WD, Friede A, et al. 1995. Half-life of a polybrominated biphenyl in human sera. *Environ Health Perspect* 103(3):272-274.
- Rosenkranz HS, Klopman G. 1990. Structural basis of carcinogenicity in rodents of genotoxicants and non-genotoxicants. *Mutat Res* 228:105-124.
- *Rosenman KD, Anderson HA, Selikoff IJ, et al. 1979. Spermatogenesis in men exposed to polybrominated biphenyl (PBB). *Fertil Steril* 32:209-213.
- *Rossman TG, Molina M, Meyer L, et al. 1991. Performance of 133 compounds in the lambda prophage induction endpoint of the Microscreen assay and a comparison with *IS. typhimurium* mutagenicity and rodent carcinogenicity assays. *Mutat Res* 260:349-367.
- Rozman K, Pfeifer B, Kerecsen L, et al. 1991. Is a serotonergic mechanism involved in 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD)-induced appetite suppression in the Sprague-Dawley rat? *Arch Toxicol* 65:124-128.
- Rozman K, Rozman T, Scheufler E, et al. 1985. Thyroid hormones modulate the toxicity of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD). *J Toxicol Environ Health* 16:481-491.
- *Rozman KK, Rozman TA, Williams J, et al. 1982. Effect of mineral oil and/or cholestyramine in the diet on biliary and intestinal elimination of 2,4,5,2',4',5'-hexabromodiphenyl in the Rhesus monkey. *J Toxicol Environ Health* 9:611-618.
- RTECS. 1987. Registry of toxic effects of chemical substances 3:1985-1986. Centers for Disease Control, National Institute for Occupational Safety and Health, 2401-2402.
- *Ruzo LO, Zabik MJ. 1975. Polyhalogenated biphenyls: Photolysis of hexabromo and hexachlorobiphenyls in methanol solution. *Bull Environ Contam Toxicol* 13(2):181-182.
- *Ruzo LO, Sundstrom G, Hutzinger O, et al. 1976. Photodegradation of polybrominated biphenyl (PBB). *J Agric Food Chem* 24:1062-1065.
- *RTI. 1993. Research Triangle Institute. <http://www.rti.org/>. May 5, 2002.
- *Ryan JJ, Patry B. 2000. Determination of brominated diphenyl ethers (BDE's) and levels in Canadian human milks. *Organohalogen Compounds* 47:57-60.
- Ryan JJ, Patry B. 2001. Body burdens and exposure from food for polybrominated diphenyl ethers (BDEs) in Canada. *BFR*:103-106.
- Safe S. 1993. Toxicology structure- function relationship and human and environmental health impacts of polychlorinated biphenyls progress and problems. *Environ Health Perspect* 100(0):259-268.
- *Safe S. 1984. Polychlorinated biphenyls (PCBs) and polybrominated biphenyls (PBBs): Biochemistry, toxicology, and mechanism of action. *CRC Crit Rev Toxicol* 13:319-395.
- *Safe S, Phil D. 1990. Polychlorinated biphenyls (PCBs), dibenzo-p-dioxins (PCDDs), dibenzofurans (PCDFs), and related compounds: Environmental and mechanistic considerations which support the development of toxic equivalency factors (TEFs). *Crit Rev Toxicol* 21(1):51-88.

9. REFERENCES

- Safe S, Bandiera S, Sawyer T, et al. 1985. Effects of structure on binding to the 2,3,7,8-TCDD receptor protein and AHH induction-halogenated biphenyls. *Environ Health Perspect* 61:21-33.
- *Safe S, Kohli J, Crawford A. 1978. FireMaster BP-6: Fractionation, metabolic and enzyme induction studies. *Environ Health Perspect* 23:147-152.
- *Safe SH, Zacharewski T. 1997. Organochlorine exposure and risk for breast cancer. In: Aldaz CM, Gould MN, McLachlan J, et al, eds. *Etiology of breast and gynecological cancers*. New York, NY: Wiley-Liss Inc, 133-145.
- Saki S, Watanabe J, Honda Y, et al. 2001. Combustion of brominated flame retardant and behavior of its byproducts. *Chemosphere* 42(5-7):519-531.
- Sakai S, Watanabe J, Takatsuki H, et al. 2001. Presence of PBDDs/DFs in flame retardant materials and their behavior in high-temperature melting processes. *BFR*:59-63.
- Sanderson JT, Aarts JMMJG, Brouwer A, et al. 1996. Comparison of Ah receptor-mediated luciferase and ethoxyresorufin-O-deethylase induction in H4IIE cells: Implications for their use as bioanalytical tools for the detection of polyhalogenated aromatic hydrocarbons. *Toxicol Appl Pharmacol* 137:316-325.
- *Sasaki S. 1978. The scientific aspects of the chemical substances control law in Japan. In: Hutzinger O, VonLetyveld LH, Zoetman BC eds. *Aquatic Pollutants: Transformation and biological effects*: Oxford: Pergamon Press: 283-298.
- Schaefer A. 2001. Lake Michigan heavily contaminated with PBDEs. *Environ Sci Technol* 35(7):139A-140A.
- Schantz SL, Jacobson JL, Humphrey HEB, et al. 1994. Determinants of polychlorinated biphenyls (PCBs) in the sera of mothers and children from Michigan farms with PCB-contaminated soils. *Arch Environ Health* 49:452-458.
- *Schmidt S, Fortnagel P, Wittich R-M. 1993. Biodegradation and transformation of 4,4'-dihalodiphenyl ethers by *Sphingomonas* sp. strain SS33. *Appl Environ Microbiol* 59(11):3931-3933.
- Schnare DW, Ben M, Shields MG. 1984. Body burden reductions of PCBs, PBBs and chlorinated pesticides in human subjects. *Ambio* 13:378-380.
- *Schramm H, Robertson LW, Oesch F. 1985. Differential regulation of hepatic glutathione transferase and glutathione peroxidase activities in the rat. *Biochem Pharmacol* 34(20):3735-3739.
- *Schroter-Kermani C, Helm D, Hermann T, et al. 2000. The German environmental specimen bank-application in trend monitoring of polybrominated diphenyl ethers in human blood. *Organohalogen Compounds* 47:49-52.
- Schussler GC. 2000. The thyroxine-binding proteins. *Thyroid* 10:141-149.
- *Schwartz EM, Rae WA. 1983. Effect of polybrominated biphenyls (PBB) on developmental abilities in young children. *Am J Public Health* 73(3):277-281.
- *Seagull EAW. 1983. Developmental abilities of children exposed to polybrominated biphenyls (PBB) *Am J Public Health* 73(3):281-285.

9. REFERENCES

Selden JR, Dolbeare F, Miller JE, et al. 1994. Validation of a flow cytometric in vitro DNA repair (UDS) assay in rat hepatocytes. *Mutat Res* 315(2):147-167.

*Sellstrom U, Jansson B. 1995. Analysis of tetrabromobisphenol A in a product and environmental samples. *Chemosphere* 31(4):3085-3092.

*Sellstrom U, Jansson B, Kierkegaard A, et al. 1993. Polybrominated diphenyl ethers (PBDE) in biological samples from the Swedish environment. *Chemosphere* 26(9):1703-1718.

*Sellstrom U, Kierkegaard M, Alsberg T, et al. 1999. Brominated flame retardants in sediments from European estuaries, the Baltic Sea and in sewage sludge. *Organohalogen Compounds* 40:383-386.

*Sellstrom U, Kierkegaard A, De Wit C, et al. 1998a. Polybrominated diphenyl ethers and hexabromocyclododecane in sediment and fish from a Swedish river. *Environ Toxicol Chem* 17(6):1065-1072.

*Sellstrom U, Soderstrom G, de Wit C, et al. 1998b. Photolytic debromination of decabromodiphenyl ether (DeBDE). *Organohalogen Compounds* 35:447-450.

*Sepkovic DW, Byrne JJ. 1984. Kinetic parameters of L-[125I]triiodothyronine degradation in rats pretreated with polyhalogenated biphenyls. *Food Chem Toxicol* 22(9):743-747.

*Setchell BP, Waites GMH. 1975. The blood-testis barrier. In: Creep RO, Astwood EB, Geiger SR, eds. *Handbook of physiology: Endocrinology V*. Washington, DC: American Physiological Society

*Shah BP. 1978. Environmental considerations for the disposal of PBB-contaminated animals and wastes. *Environ Health Perspect* 23:27-35.

*She J, Wrinkler J, Visita P, et al. 2000. Analysis of PBDEs in seal blubber and human breast adipose tissue samples. *Organohalogen Compounds* 47:53-56.

Shelby MD, Witt KL. 1995. Comparison of results from mouse bone marrow chromosome aberration and micronucleus tests. *Environ Mol Mutagen* 25(4):302-313.

Shelby MD, Erexson GL, Hook GJ, et al. 1993. Evaluation of a three-exposure mouse bone marrow micronucleus protocol: results with 49 chemicals. *Environ Mol Mutagen* 21(2):160-179.

*Shelton DR, Tiedje JM. 1981. Development of tests for determining anaerobic biodegradation potential. Washington, DC. EPA 568/5/-81-813. PB84-166495.

Shepard EC, Phillips TD, Irvin TR. 1984. Aflatoxin B1 metabolism in the rat: Polyhalogenated biphenyl enhanced conversion to aflatoxin M1. *Xenobiotica* 14(9):741-750.

Sherman JD. 1991. Polybrominated biphenyl exposure and human cancer: Report of a case and public health implications. *Toxicol Ind Health* 7(3):197-205.

*Silberhorn EM, Glauert HP, Robertson LW. 1990. Carcinogenicity of polyhalogenated biphenyls: PCBs and PBBs. *Crit Rev Toxicol* 20(6):439-496.

*Silva J, Kauffman CA, Simon DG, et al. 1979. Lymphocyte function in humans exposed to polybrominated biphenyls. *J Reticuloendothel Soc* 26(4):341-347.

9. REFERENCES

- *Simmons MS, Kotz KT. 1982. Association studies of polybrominated biphenyls in aquatic systems. *Bull Environ Contam Toxicol* 29:58-63.
- *Sinjari T, Damerud P, Hallgren S. 1998. Competitive inhibition of 125I-thyroxine (T₄) binding to choroid plexus by hydroxylated PCE metabolites. *Organohalogen Compounds* 37:241-244.
- *Sjodin A, Carlsson H, Thuresson K, et al. 2001a. Flame retardants in indoor air at an electronics recycling plant and at other work environments. *Environ Sci Technol* 35(3):448-454.
- *Sjodin A, Hagmar L, Klasson-Wehler E, et al. 1999a. Flame retardant exposure: polybrominated diphenyl ethers in blood from Swedish workers. *Environ Health Perspect* 107(8):643-648.
- *Sjodin A, Hagmar L, Klasson-Wehler E, et al. 2000. Influence of the consumption of fatty Baltic Sea fish on plasma levels of halogenated environmental contaminants in Latvian and Swedish men. *Environ Health Perspect* 108:1035-1041.
- *Sjodin A, Jakobsson E, Kierkegaard A, et al. 1998. Gas chromatographic identification and quantification of polybrominated diphenyl ethers in a commercial product, Bromkal 70-5DE. *J Chromatogr A* 822(1):83-89.
- Sjodin A, Patterson DG Jr, Bergman A. 2001b. Brominated flame retardants in serum from U.S. blood donors. *Environ Sci Technol* 35(19):3830-3833.
- Sjodin A, Thuresson K, Hagmar L, et al. 1999b. Occupational exposure to polybrominated diphenyl ethers at dismantling of electronics. Ambient air and human serum analysis. *Organohalogen Compounds* 43:447-451.
- *Sleight S. 1985. Effects of PCBs and related compounds on hepatocarcinogenesis in rats and mice. *Environ Health Perspect* 60:35-39.
- *Sleight SD, Sanger VL. 1976. Pathologic features of polybrominated biphenyl toxicosis in the rat and guinea pig. *J Am Vet Med Assoc* 169:1231-1235.
- *Sleight SD, Mangkoewidjojo S, Akoso BT, et al. 1978. Polybrominated biphenyl toxicosis in rats fed an iodine-deficient, iodine-adequate, or iodine-excess diet. *Environ Health Perspect* 23:341-346.
- Sonzogni W, Manchester-Neesvig J. 2001. Polybrominated diphenyl ethers (PBDEs) in Lake Michigan Salmonids. Stockholm, Sweden. BFR:377-378.
- *Sparling J, Fung D, Safe S. 1980. Bromo and chlorobiphenyl metabolism: Gas chromatographic mass spectrometric identification of urinary metabolites and the effects of structure on their rates of excretion. *Biomed Mass Spectrom* 7(1):13-19.
- Spear PA, Higuere P, Garcin H. 1994. Effects of fasting and 3,3,4,4'-tetrabromobiphenyl on plasma transport of thyroxine and retinol: Fasting reverses elevation of retinol. *J Toxicol Environ Health* 42(2):173-183.
- *SRI. 2001. 2001 Directory of Chemical Producers- United States of America. Menlo Park, CA: Stanford Research Institution International, 462.

9. REFERENCES

- *Stafford, CJ. 1983. Halogenated diphenyl ethers identified in avian tissues and eggs by GC/MS. *Chemosphere* 12(11/12):1487-1495.
- *Stanley JS, Cramer PH, Thornburg KR, et al. 1991. Mass spectral confirmation of chlorinated and brominated diphenyl ethers in human adipose tissues. *Chemosphere* 23(8-10):1185-1186.
- *Stern GA, Ikonomou MG. 2000. Temporal trends of polybrominated diphenyl ethers in SE baffin beluga: Increasing evidence of long range atmospheric transport. *Organohalogen Compounds* 57:81-84.
- *Strandberg B, Dodder NG, Basu I, et al. 2001. Concentrations and spatial variations of polybrominated diphenyl ethers and other organohalogen compounds in Great Lakes air. *Environ Sci Technol* 35(6):1078-1083.
- Strandman T, Kiviranta H, Kumpulainen J, et al. 2001. Polybrominated diphenyl ethers (PBDEs) in Finnish food items. *BFR*:307-310.
- *Strandman T, Koistinen J, Kiviranta H, et al. 1999. Levels of some polybrominated diphenyl ethers (PBDEs) in fish and human adipose tissue in Finland. *Organohalogen Compounds* 40(:):355-358.
- *Strandman T, Koistinen J, Variainen T. 2000. Polybrominated diphenyl ethers (PBDEs) in placenta and human milk. *Organohalogen Compounds* 47:61-64.
- Strassner HT, Arnolds CW. 1992. Environment and pregnancy. *Princ Pract Med Ther Preg*:89-105.
- Striebich RC, Rubey WA, Tirey DA, et al. 1991. High-temperature degradation of polybrominated flame retardant materials. *Chemosphere* 23(8-10):1197-1204.
- *Stross JK, Nixon RK, Anderson MD. 1979. Neuropsychiatric findings in patients exposed to polybrominated biphenyls. *Ann N Y Acad Sci* 320:368-372.
- *Stross JK, Smokler IA, Isbister J, et al. 1981. The human health effects of exposure to polybrominated biphenyls. *Toxicol Appl Pharmacol* 58:145-150.
- *Sugiura K. 1992. Microbial degradation of polychlorinated biphenyls in aquatic environments. *Chemosphere* 24:881-890.
- *Sundstrom G, Hutzinger O. 1976. The synthesis and gas chromatographic properties of bromobiphenyls. *Sci Total Environ* 6:15-29.
- *Sundstom G, Hutzinger O, Safe S, et al. 1976. Identification of 2,2',4,4',5,5'-hexabromobiphenyl as the major component of flame retardant Firemaster® PB-6. *Chemosphere* 5:11-14.
- *Swann RL, Laskowski DA, McCall PJ, et al. 1983. A rapid method for the estimation of the environmental parameters octanol/water partition coefficient, soil sorption constant, water to air, and water solubility. *Residue Rev* 85:18-28.
- Swanson MB, Davis GA, Kincaid LE, et al. 1997. A screening method for ranking and scoring chemicals by potential human health and environmental impacts. *Environ Toxicol Chem* 16(2):372-383.
- Sweeney AM, Symanski E, Burau KD, et al. 2001. Changes in serum PBB and PCB levels over time among women of varying ages at exposure. *Environ Res* 86:128-139.

9. REFERENCES

- *Takase I, Omori T, Minoda Y. 1986. Microbial degradation products from biphenyl-related compounds. *Agric Biol Chem* 50(3):681-686.
- *Takenaka S, Takahashi K. 1991. Enhancement of fecal excretion of polychlorinated biphenyls by the addition of rice bran fiber to the diet in rats. *Chemosphere* 22(3-4):375-381.
- Taylor MJ, Lucier GW, Mahler JF, et al. 1992. Inhibition of acute TCDD toxicity by treatment with anti-tumor necrosis factor antibody or dexamethasone. *Toxicol Appl Pharmacol* 117:126-132.
- Tennant RW. 1993. A perspective on nonmutagenic mechanisms in carcinogenesis. *Environ Health Perspect Suppl* 101:231-236.
- ter Schure AFH, Larsson P. 2001. Atmospheric deposition of polybrominated diphenylethers (PBDEs) BFR:375-376.
- Theiss JC, Stoner GD, Shimkin MB, et al. 1977. Test for carcinogenicity of organic contaminants of United States drinking waters by pulmonary tumor response in strain A mice. *Cancer Res* 37(8):2717-2720.
- *Thoma H, Hutzinger O. 1987. Pyrolysis and GC/MS-analysis of brominated flame retardants in on-line operation. *Chemosphere* 16(6):1353-1360.
- *Thoma H, Hauschulz G, Knorr E, et al. 1987. Polybrominated dibenzofurans (PBDF) and dibenzodioxins (PBDD) from the pyrolysis of neat brominated dihenylethers, biphenyls and plastic mixtures of these compounds. *Chemosphere* 16(1):277-285.
- *Thomas AR, Marcus M, Zhang RH, et al. 2001. Breast-feeding among women exposed to polybrominated biphenyls in Michigan. *Environ Health Perspect* 109(11):1133-1137.
- *Thomas RG. 1990. Volatilization from water. In: Lyman WJ, Reehl WF, Rosenblatt DH, eds. *Handbook of chemical property estimation methods: Environmental behavior of organic compounds*: Washington, DC: American Chemical Society.
- Thomsen C, Leknes H, Lundanes E, et al. 2001a. Brominated flame retardants in laboratory air. *J Chromatogr A* 923(1-2):299-304.
- *Thomsen C, Lundanes E, Becher G. 2001b. Brominated flame retardants in plasma samples from three different occupational groups in Norway. *J Environ Monitor* 3(4):366-370.
- Thomsen C, Lundanes E, Becher G. 2002. Brominated flame retardants in archived serum samples from Norway: A study on temporal trends and the role of age. *Environ Sci Technol* 36:1414-1418.
- *Tilson HA. 1992. Study design considerations in developmental neurotoxicology. *Neurotoxicol Teratol* 14:199-203.
- *Tilson HA, Cabe PA. 1979. Studies on the neurobehavioral effects of polybrominated biphenyls in rats. *Ann N Y Acad Sci* :325-336.
- Tittlemier SA, Tomy GT. 2000. Vapor pressure of six brominated diphenyl ether congeners. *Organohalogen Compounds* 47:206-209.

9. REFERENCES

- Tittlemier SA, Tomy GT. 2001. Vapor pressures of six brominated dipheyl ether congeners. *Environ Toxicol Chem* 20(1):146-148.
- Tomy G, Tittlemier S, Braekevelt E, et al. 2001. The physio-chemical properties of some brominated flame retardants. *BFR* :229-232.
- *TRI 99. 2002. Toxic Chemical Release Inventory. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.
- *Trotter WJ. 1977. Confirming low levels of hexabromobiphenyl by gas-liquid chromatography of photolysis products. *Bull Environ Contam Toxicol* 18:726-733.
- Tsongas TA. 1996. PBBs: potential effects in children. *Environ Health Perspect* 104(12):1267-1268.
- *Tuey DB, Matthews HB. 1980. Distribution and excretion of 2,2',4,4',5,5'-hexabromobiphenyl in rats and man: Pharmacokinetic model predictions. *Toxicol Appl Pharmacol* 53:420-431.
- Tysklind M, Sellstrom U, Soderstrom G, et al. 2001. Abiotic transformation of polybrominated diphenylethers (PBDEs): Photolytic debromination of decabro diphenyl ether. *BFR*:51-54.
- Uno Y, Takaswas H, Miyagawa M, et al. 1994. An in vivo-in vitro replications DNA synthesis (RDS) test using rat hepatocytes as an early prediction assay for nongenotoxic heptacarcinogens: Screening of 22 known positives and 25 noncarcinogens. *Mutat Res* 320(3):189-205.
- *USDA. 1998. United States Department of Agriculture.
Web Access: <http://www.usda.gov/OPHS/bluebook/histcom.htm>
- *Valciukas JA, Lilis R, Anderson HA, et al. 1979. The neurotoxicity of polybrominated biphenyls: Results of a medical field survey. *Ann N Y Acad Sci* :337-367.
- *Valciukas JA, Lilis R, Wolff MS, et al. 1978. Comparative neurobehavioral study of a polybrominated biphenyl-exposed population in Michigan and a nonexposed group in Wisconsin. *Environ Health Perspect* 23:199-210.
- *van Bavel B, Sundelin E, Lillback J, et al. 1999. Supercritical fluid extraction of polybrominated diphenyl ethers PBDEs from long-finned pilot whale (*Globicephala melas*) from the Atlantic. *Organohalogen Compounds* 40:359-362.
- van Birgelen APJM. 1999. Uncertainties in the toxic equivalency factor concept: Future directions. *Organohalogen Compounds* 44:505-508.
- Van-Den-Berg KJ, van Raaij JAGM, Bragt PC, et al. 1991. Interactions of halogenated industrial chemicals with transthyretin and effects on thyroid hormone levels in vivo. *Arch Toxicol* 65:15-19.
- *Veith GD, DeFoe VD, Bergstedt BV. 1979. Measuring and estimating the bioconcentration factor of chemicals in fish. *J Fish Res Board Can* 36:1040-1048.
- Vetter W, Muller JF, Gaus C, et al. 2001. Bioaccumulative natural brominated compounds in marine mammals. Stockholm, Sweden. *BFR*:385-389.

9. REFERENCES

- Viberg H, Fredriksson A, Eriksson P. 2002. Neonatal exposure to the brominated flame retardant 2,2',4,4'-pentabromodiphenyl ether causes altered susceptibility of the cholinergic transmitter system in the adult mouse. *Toxicol Sci* 67:104-107.
- *Vieira I, Sonnier M, Cresteil T. 1996. Developmental expression of CYP2E1 in the human liver: Hypermethylation control of gene expression during the neonatal period. *Eur J Biochem* 238:476-483.
- *von Meyerinck L, Hufnagel B, Schmoldt A, et al. 1990. Inductions of rat liver microsomal cytochrome P-450 by the pentabromo diphenyl ether bromkal 70 and half-lives of its components in the adipose tissue. *Toxicology* 61(2):259-274.
- *Vos JG, van Genderen H. 1973. Toxicological aspects of immunosuppression. *Pest Environ Control*:527-545.
- *Waritz RJ, Aftosmis JG, Culik R, et al. 1977. Toxicological evaluations of some brominated biphenyls. *Am Ind Hyg Assoc J* 38:307-320.
- *Wasito, Sleight SD. 1989. Promoting effect of polybrominated biphenyls on tracheal papillomas in syrian golden hamsters. *J Toxicol Environ Health* 27:173-187.
- Watanabe I, Sakai S-I. 2001. Environmental release and behavior of brominated flame retardants- an overview. *Organohalogen Compounds* 52:1-4.
- *Watanabe I, Tatsukawa R. 1987. Formation of brominated dibenzofurans from the photolysis of flame retardant decabromobiphenyl ether in hexane by UV and sun light. *Bull Environ Contam Toxicol* 39:953-959.
- *Watanabe I, Tatsukawa R. 1990. Anthropogenic aromatics in the Japanese environment. Workshop on brominated aromatic flame retardants, Skokloster, Sweden. KEMI, National Council Inspectorate, Solna, Sweden, 1990, 63-71.
- *Watanabe I, Kashimoto T, Tatsukawa R. 1986. Confirmation of the presence of the flame retardant decabromobiphenyl ether in river sediment from Osaka, Japan. *Bull Environ Contam Toxicol* 36(6):839-842.
- *Watanabe I, Kashimoto T, Tatsukawa R. 1987. Polybrominated biphenyl ethers in marine fish, shellfish and river and marine sediments in Japan. *Chemosphere* 16(10-12):2389-2396.
- *Watanabe I, Kawano M, Tatsukawa R. 1995. Polybrominated and mixed polybromo/chlorinated dibenzo-p-dioxins and -dibenzofurans in the Japanese environment. *Organohalogen Compounds* 24:337-240.
- *Watanabe IAH, Kawano MC, Wang YD, et al. 1992. Polybrominated dibenzo-p-dioxins (PBDDs) and dibenzofurans (PBDFs) in atmospheric air in Taiwan and Japan. *Organohalogen Compounds* 9:309-312.
- Weber LW, Greim H. 1997. The toxicity of brominated and mixed-halogenated dibenzo-p-dioxins and dibenzofurans: an overview. *J Toxicol Environ Health* 50(3):195-215.
- Weber LWD, Lebofsky M, Greim H, et al. 1991a. Key enzymes of gluconeogenesis are dose-dependent reduced in 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD)-treated rats. *Arch Toxicol* 65:119-123.

9. REFERENCES

- Weber LWD, Lebofsky M, Stahl BU. 1991b. Reduced activities of key enzymes of gluconeogenesis as possible cause of acute toxicity of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) in rats. *Toxicology* 66:133-144.
- *Weil WB, Spencer M, Benjamin D, et al. 1981. The effect of polybrominated biphenyl on infants and young children. *J Pediatr* 98:47-51.
- Welch LW. 1998. Reproductive and developmental hazards - an overview for occupational and environmental health nurses. *AAOHN J* 46(2):57-65.
- Welsch F, Morgan KT. 1985. Placental transfer and developmental toxicity of 2,2',4,4',5,5'-hexabromobiphenyl in B6C3F1 mice. *Toxicol Appl Pharmacol* 81:431-442.
- Wenning R. 2001. Probabilistic human health risk assessment of penta-, octa-, and deca- brominated diphenyl ethers. *Organohalogen Compounds* 52:39-42.
- Wenning RJ. 2002. Uncertainties and data needs in risk assessment of three commercial polybrominated diphenyl ethers: probabilistic exposure analysis and comparison with European commission results. *Chemosphere* 46(5):779-796.
- *Werner PR, Sleight SD. 1981. Toxicosis in sows and their pigs caused by feeding rations containing polybrominated biphenyls to sows during pregnancy and lactation. *Am J Vet Res* 42:183-189.
- *West JR, Smith HW, Chasis H. 1948. Glomerular filtration rate, effective renal blood flow, and maximal tubular excretory capacity in infancy. *J Pediatr* 32:10-18.
- *Wester RC, Maibach HI, Bucks DA, et al. 1990. Percutaneous absorption and skin decontamination of PCBs: In vitro studies with human skin and in vivo studies in the Rhesus monkey. *J Toxicol Environ Health* 31:235-246.
- *WHO. 1994a. Brominated diphenyl ethers. International programme on chemical safety. Environmental Health Criteria. World Health Organization. <http://www.inchem.org/documents/ehc/ehc/>.
- *WHO. 1994b. Brominated diphenyl ethers. International programme on chemical safety. Environmental Health Criteria 162. World Health Organization. <http://www.inchem.org/documents/ehc/ehc/>.
- *Widdowson EM, Dickerson JWT. 1964. Chemical composition of the body. In: Comar CL, Bronner F, eds. *Mineral metabolism: An advanced treatise. Volume II: The elements Part A*. New York: Academic Press.
- *WIL Research Laboratories. 1984. 90-day dietary study in rats with pentabromodiphenyl oxide (DE-71) (Final Report). Submitted to U.S. EPA under TSCA Section 8D, Fiche no. OTS0524336.
- *WIL Research Laboratories. 1986. A range-finding teratology study in rats with DE-79. Submitted to U.S. EPA under TSCA Section 8D, Fiche no. OTS0522298.
- *Willett LB, Durst KI. 1978. Effects of PBBs on cattle. IV. Distribution and clearance of components of FireMaster BP-6. *Environ Health Perspect* 23:67-74.

9. REFERENCES

Willett LB, Irving HA. 1976. Distribution and clearance of polybrominated biphenyls in cows and calves. *J Dairy Sci* 59(8):1429-1439.

*Willett LB, Brumm CJ, Williams CL. 1978. Method for extraction, isolation, and detection of free polybrominated biphenyls (PBBs) from plasma, feces, milk, and bile using disposable glassware. *J Agric Food Chem* 26(1):122-126.

Willett LB, Durst HI, Liu T-TY, et al. 1982. Performance and health of offspring of cows experimentally exposed to polybrominated biphenyls. *J Dairy Sci* 65:81-91.

*Willett LB, Schanbacher FL, Durst HI, et al. 1988. Relationships between concentrations of polybrominated biphenyls detected in milk, blood and body fat of contaminated dairy cattle. In: *Proceedings of the 75th American Dairy Science Association Annual Meeting*, Blacksburg, VA, June 15-18, 1980. [Abstract P134]. *J Dairy Sci* 63 (Suppl. 1):144.

*Williams DT, LeBel GL, Junkins E. 1988. Organohalogen residues in human adipose autopsy samples from six Ontario municipalities. *J Assoc Off Anal Chem* 71(2):410-414.

*Williams GM, Tong C, Telang S. 1984. Polybrominated biphenyls are nongenotoxic and produce an epigenetic membrane effect in cultured liver cells. *Environ Res* 34:310-320.

*Wilson-Martino NA, Martino LJ, Millman-Feder NG, et al. 1980. The presence of hepatic intramitochondrial crystalline inclusions in polybrominated biphenyl-treated mice. *Arch Toxicol* 45:233-239.

*Wolff MS, Aubrey B. 1978. PBB homologs in sera of Michigan dairy farmers and Michigan chemical workers. *Environ Health Perspect* 23:211-215.

*Wolff MS, Selikoff IJ. 1979. Variation of polybrominated biphenyl homolog peaks in blood of rats following treatment with Firemaster FF-1. *Bull Environ Contam Toxicol* 21:771-774.

*Wolff MS, Toniolo, PG. 1995. Environmental organochlorine exposure as a potential etiologic factor in breast cancer. *Environ Health Perspect* 103(7):141-145.

*Wolff MS, Anderson HA, Camper F, et al. 1979a. Analysis of adipose tissue and serum from PBB (polybrominated biphenyl)-exposed workers. *J Environ Pathol Toxicol* 2:1397-1411.

Wolff MS, Anderson HA, Rosenman KD, et al. 1979b. Equilibrium of polybrominated biphenyl (PBB) residues in serum and fat of Michigan residents. *Bull Environ Contam Toxicol* 21:775-781.

*Wolff MS, Anderson HA, Selikoff IJ. 1982. Human tissue burdens of halogenated aromatic chemicals in Michigan. *JAMA* 247(15):2112-2116.

Wong A, Duan Lei Y, Alaei M, et al. 2001. Vapor pressure of the polybrominated diphenylethers. *BFR*:195-198.

*Yagi O, Sudo R. 1980. Degradation of polychlorinated biphenyls by microorganisms. *J Water Pollut Control Fed* 52:1035-1043.

*Yamamoto H, Okumura T, Nishikawa Y, et al. 1997. Determination of decabromodiphenyl ether in water and sediment samples by gas chromatography with electron capture detection. *J AOAC Int*

9. REFERENCES

80(1):102-106.

*Zabik ME, Johnson TM, Smith S. 1978. Effects of processing and cooking on PBB residues. *Environ Health Perspect* 23:37-41.

*Zacharewski T, Harris M, Safe S, et al. 1988. Applications of the in vitro aryl hydrocarbon hydroxylates induction assay for determining "2,3,7,8-tetrachlorodibenzo-p-dioxin equivalents": Pyrolyzed brominated flame retardants. *Toxicology* 51:177-189.

*Zegers BN, Lewis WE, Boon JP. 2000. Levels of some polybrominated diphenyl ether (PBDE) flame retardants in dated sediment cores. *Organohalogen Compounds* 47:229-232.

Zeiger E. 1987. Carcinogenicity of mutagens predictive capability of the Salmonella mutagenesis assay for rodent carcinogenicity. *Cancer Res* 47:1287-1296.

Zeiger E. 1990. Mutagenicity of 42 chemicals in Salmonella. *Environ Mol Mutagen* 16:32-54.

Zeiger E, Anderson B, Haqorth S, et al. 1987. Salmonella mutagenicity tests: III. Results from the testing of 255 chemicals. *Environ Mutagen* 9:1-110.

Zelinski V, Lorenz W, Bahadir M. 1993. Brominated flame retardants and resulting PBDD in accidental fire residues from private residences. *Chemosphere* 27(8):1519-1528.

Zhou T, Taylor MM, De Vito MJ, et al. 2000. Thyroid hormone disruptive effects of brominated diphenyl ethers following developmental exposure. *Toxicologist* 54(1):260-261.

*Zhou T, Ross DG, De Vito MJ, et al. 2001. Effects of short-term *in vivo* exposure to polybrominated diphenyl ethers on thyroid hormones and hepatic enzyme activities in weaning rats. *Toxicol Sci* 61:76-82.

*Zhou T, Taylor MM, DeVito MJ, et al. 2002. Developmental exposure to brominated diphenyl ethers results in thyroid hormone disruption. *Toxicol Sci* 66:105-116.

*Ziegler EE, Edwards BB, Jensen RL, et al. 1978. Absorption and retention of lead by infants. *Pediatr Res* 12:29-34.

*Zier B, Lenoir D, Lahaniatis ES, et al. 1991. Surface catalyzed halogenation-dehalogenation reactions of aromatic bromine compounds adsorbed on fly ash. *Chemosphere*. 22(12):1121-1129.

Zitko V. 1977. The accumulation of polybrominated biphenyls in fish. *Bull Environ Contam Toxicol* 17(3):285-292.

*Zitko V. 1979. The fate of highly brominated aromatic hydrocarbons in fish. *ACS Symp Ser* 99:177-182.

Zitko V. 1999. Qualitative determination of 10,10'-oxybisphenoxarsine and decabromodiphenyl ether in plastics. *Chemosphere* 38(3):629-632.

*Zitko V, Hutzinger O. 1976. Uptake of chloro- and bromobiphenyls, hexachloro- and hexabromobenzene by fish. *Bull Environ Contam Toxicol* 16(6):665-673.

9. REFERENCES

Zober A, Ott MG. 1997. Digestive tract neoplasma among employees with past exposure to brominated dioxins. *Occup Environ Med* 54(1):66.

Zober MA, Ott MG, Paepke O, et al. 1992. Morbidity study of extruder personnel with potential exposure to brominated dioxins and furans: I: Results of blood monitoring and immunological tests. *Br J Ind Med* 49(8):532-544.

*Zoeller RT, Crofton RM. 2000. Thyroid hormone action in fetal brain development and potential for distribution by environmental chemicals. *Neurotoxicology* 21(6):935-946.

*Zweidinger R, Cooper SD, Erickson MD, et al. 1979. Sampling and analysis for semivolatile brominated organics in ambient air. *Am Chem Soc Abstr Pap* 94:217-231.